1	10A NCAC 41A	.0101 is amended as published in 38:23 NCR 1497-1500 as follows:			
2					
3		CHAPTER 41 - EPIDEMIOLOGY HEALTH			
4					
5		SUBCHAPTER 41A - COMMUNICABLE DISEASE CONTROL			
6					
7		SECTION .0100 - COMMUNICABLE DISEASE CONTROL			
8	40.1320.044				
9	10A NCAC 41A				
10	(a) The following named diseases and conditions are declared to be dangerous to the public health and are hereby				
11	-	within the time period specified after the disease or condition is reasonably suspected to exist:			
12	(1)	acquired immune deficiency syndrome (AIDS) - 24 hours;			
13	(2)	acute flaccid myelitis – 7 days;			
14	(3)	anaplasmosis – 7 days;			
15	(4)	anthrax - immediately;			
16	(5)	arboviral infection, neuroinvasive – 7 days;			
17	(6)	babesiosis – 7 days;			
18	(7)	botulism - immediately;			
19	(8)	brucellosis - 7 days;			
20	(9)	campylobacter infection - 24 hours;			
21	(10)	Candida auris - 24 hours;			
22	(11)	Carbapenem Resistant Enterobacteriaceae (CRE) Carbapenemase-producing organisms (CPO) – 24			
23		hours;			
24	(12)	chancroid - 24 hours;			
25	(13)	chikungunya virus infection - 24 hours;			
26	(14)	chlamydial infection (laboratory confirmed) - 7 days;			
27	(15)	cholera - 24 hours;			
28	(16)	Creutzfeldt-Jakob disease – 7 days;			
29	<u>(17)</u>	cronobacter infection, invasive, in individuals less than twelve months of age - 24 hours;			
30	<u>(18)<del>(17</del></u>	cryptosporidiosis – 24 hours;			
31	<u>(19)(18</u>	cyclosporiasis – 24 hours;			
32	<u>(20)(19</u>	dengue - 7 days;			
33	<u>(21)(20</u>	diphtheria - 24 hours;			
34	<u>(22)(21</u>	Escherichia coli, shiga toxin-producing infection - 24 hours;			
35	(23)(22	4 ehrlichiosis – 7 days:			

```
1
                 (24)(23) foodborne disease, including Clostridium perfringens, staphylococcal, Bacillus cereus, and other
 2
                          and unknown causes - 24 hours;
 3
                 (25)(24) gonorrhea - 24 hours;
 4
                 (26)(25) granuloma inguinale - 24 hours;
 5
                 (27)(26) Haemophilus influenzae, invasive disease - 24 hours;
 6
                 (28)(27) Hantavirus infection – 7 days;
 7
                 (29)<del>(28)</del> Hemolytic-uremic syndrome – 24 hours;
 8
                 (30)(29) Hemorrhagic fever virus infection – immediately;
 9
                 (31)(30) hepatitis A - 24 hours;
10
                 (32)<del>(31)</del> hepatitis B - 24 hours;
11
                 (33)(32) hepatitis B carriage - 7 days;
                 (34)(33) hepatitis C, acute – 7 days;
12
13
                 (35)<del>(34)</del> human immunodeficiency virus (HIV) infection confirmed - 24 hours;
14
                 (36)(35) influenza virus infection causing death – 24 hours;
15
                 (37)<del>(36)</del> legionellosis - 7 days;
16
                 (38)(37) leprosy – 7 days;
17
                 (39)(38) leptospirosis - 7 days;
18
                 (40)(39) listeriosis – 24 hours;
19
                 (41)<del>(40)</del> Lyme disease - 7 days;
20
                 (42)<del>(41)</del> Lymphogranuloma venereum - 7 days;
21
                 (43)<del>(42)</del> malaria - 7 days;
22
                 (44)<del>(43)</del> measles (rubeola) - immediately;
23
                 (45)(44) meningitis, pneumococcal - 7 days;
24
                 (46)<del>(45)</del> meningococcal disease - 24 hours;
                 (47)(46) Middle East respiratory syndrome (MERS) - 24 hours;
25
26
                 (48)(47) monkeypox mpox – 24 hours;
27
                 (49)(48) mumps - 7 days;
                 (50)<del>(49)</del> nongonococcal urethritis - 7 days;
28
                 (51)(50) novel coronavirus infection causing death – 24 hours;
29
30
                 (52)<del>(51)</del> novel coronavirus infection – immediately;
31
                 (53)(52) novel influenza virus infection – immediately;
32
                 (54)(53) plague - immediately;
33
                 (55)<del>(54)</del> paralytic poliomyelitis - 24 hours;
34
                 (56)(55) pelvic inflammatory disease – 7 days;
35
                 (57)<del>(56)</del> psittacosis - 7 days;
```

```
1
                (58)(57) Q fever - 7 days;
 2
                 (59)(58) rabies, human - 24 hours;
 3
                (60)<del>(59)</del> rubella - 24 hours;
                (61)<del>(60)</del> rubella congenital syndrome - 7 days;
 4
                (62)<del>(61)</del> salmonellosis - 24 hours;
 5
 6
                (63)
                         salmonella typhi infection – 24 hours;
 7
                         salmonella paratyphi infection – 24 hours;
                (64)
 8
                 (65)(62) severe acute respiratory syndrome (SARS) – 24 hours;
 9
                (66)<del>(63)</del> shigellosis - 24 hours;
10
                (67)(64) smallpox - immediately;
11
                 (68)<del>(65)</del> spotted fever rickettsiosis – 7 days;
                (69)(66) Staphylococcus aureus with reduced susceptibility to vancomycin – 24 hours;
12
13
                (70)<del>(67)</del> streptococcal infection, Group A, invasive disease - 7 days;
14
                (71)<del>(68)</del> syphilis - 24 hours;
                (72)(69) tetanus - 7 days;
15
16
                (73)<del>(70)</del> toxic shock syndrome - 7 days;
17
                (74)(71) trichinosis - 7 days;
                (75)<del>(72)</del> tuberculosis - 24 hours;
18
19
                (76)(73) tularemia – immediately;
20
                 (74) typhoid - 24 hours;
                (75) typhoid carriage (Salmonella typhi) - 7 days;
21
                (77)(76) typhus, epidemic (louse-borne) - 7 days;
22
23
                (78)(77) vaccinia – 24 hours;
24
                (79)(78) varicella – 24 hours;
25
                (80)\frac{(79)}{(79)} vibrio infection (other than cholera) – 24 hours;
                (81)(80) whooping cough – 24 hours;
26
27
                (82)(81) yellow fever – 7 days; and
28
                (83)(82) zika virus – 24 hours.
29
       (b) For purposes of reporting, "confirmed human immunodeficiency virus (HIV) infection" is defined as a positive
30
       virus culture, repeatedly reactive EIA antibody test confirmed by western blot or indirect immunofluorescent antibody
31
       test, positive nucleic acid detection (NAT) test, or other confirmed testing method approved by the Director of the
32
       State Public Health Laboratory conducted on or after February 1, 1990. In selecting additional tests for approval, the
33
       Director of the State Public Health Laboratory shall consider whether such tests have been approved by the federal
34
       Food and Drug Administration, recommended by the federal Centers for Disease Control and Prevention, and
35
       endorsed by the Association of Public Health Laboratories.
```

1	(c) In addition to the laboratory reports for Mycobacterium tuberculosis, Neisseria gonorrhoeae, and syphilis specified								
2	in G.S. 130A-13	A-139, laboratories shall report using electronic laboratory reporting (ELR), secure telecommunication, or							
3	paper reports.								
4	(1)	Isolatio	on or other specific identification of the following organisms or their products from human						
5		clinical	l specimens:						
6		(A)	Anaplasma spp., the causes of anaplasmosis.						
7		(B)	Any hantavirus.						
8		(C)	Any hemorrhagic fever virus.						
9		(D)	Arthropod-borne virus (any type).						
10		(E)	Babesia spp., the cause of babesiosis.						
11		(F)	Bacillus anthracis, the cause of anthrax.						
12		(G)	Bordetella pertussis, the cause of whooping cough (pertussis).						
13		(H)	Borrelia burgdorferi, the cause of Lyme disease (confirmed tests).						
14		(I)	Brucella spp., the causes of brucellosis.						
15		(J)	Campylobacter spp., the causes of campylobacteriosis.						
16		(K)	Candida auris.						
17		(L)	Carbapenem Resistant Enterobacteriaceae (CRE). Carbapenemase-producing organisms						
18			<u>(CPO).</u>						
19		(M)	Chlamydia trachomatis, the cause of genital chlamydial infection, conjunctivitis (adult and						
20			newborn) and pneumonia of newborns.						
21		(N)	Clostridium botulinum, a cause of botulism.						
22		(O)	Clostridium tetani, the cause of tetanus.						
23		(P)	Coronavirus, novel human strain.						
24		(Q)	Corynebacterium diphtheriae, the cause of diphtheria.						
25		(R)	Coxiella burnetii, the cause of Q fever.						
26		(S)	Cryptosporidium spp., the cause of human cryptosporidiosis.						
27		(T)	Cyclospora cayetanensis, the cause of cyclosporiasis.						
28		(U)	Dengue virus.						
29		(V)	Ehrlichia spp., the causes of ehrlichiosis.						
30		(W)	Shiga toxin-producing Escherichia coli, a cause of hemorrhagic colitis, hemolytic uremic						
31			syndrome, and thrombotic thrombocytopenic purpura.						
32		(X)	Francisella tularensis, the cause of tularemia.						
33		(Y)	Hepatitis A virus.						
34		(Z)	Hepatitis B virus or any component thereof, such as hepatitis B surface antigen.						
35		(AA)	Human Immunodeficiency Virus, the cause of AIDS.						
36		(BB)	Legionella spp., the causes of legionellosis.						
37		(CC)	Leptospira spp., the causes of leptospirosis.						

1	(DD	Listeria monocytogenes, the cause of listeriosis.		
2	(EE)	Measles virus.		
3	(FF)	Middle East respiratory syndrome virus.		
4	(GG	Monkeypox. Mpox.		
5	(HH	Mumps virus.		
6	(II)	Mycobacterium leprae, the cause of leprosy.		
7	(JJ)	Plasmodium falciparum, P. malariae, P. ovale, and P. vivax, the causes of malaria	in	
8		humans.		
9	(KK	Poliovirus (any), the cause of poliomyelitis.		
10	(LL)	Rabies virus.		
11	(MN	Rickettsia spp., the cause of spotted fever rickettsiosis.		
12	(NN	Rubella virus.		
13	(OC	Salmonella spp., the causes of salmonellosis. salmonellosis, s. typhi infection, and	<u>l s.</u>	
14		paratyphi infection.		
15	(PP)	Shigella spp., the causes of shigellosis.		
16	(QQ	Smallpox virus, the cause of smallpox.		
17	(RR	Staphylococcus aureus with reduced susceptibility to vancomycin.		
18	(SS)	Trichinella spiralis, the cause of trichinosis.		
19	(TT)	Vaccinia virus.		
20	(UU	Varicella virus.		
21	(VV	Vibrio spp., the causes of cholera and other vibrioses.		
22	(WV			
23	(XX	Yersinia pestis, the cause of plague.		
24	(YY	Zika virus.		
25	•	on or other specific identification of the following organisms from normally sterile human		
26		ites:		
27	(A)	Cronobacter spp., if isolated or identified from individuals less than twelve months of a	ige.	
28	(B)	Group A Streptococcus pyogenes (group A streptococci).		
29	<del>(B)</del> (			
30	(C)(			
31	` /-	ve serologic test results, as specified, for the following infections:		
32	(A)	Fourfold or greater changes or equivalent changes in serum antibody titers to:		
33	(11)	(i) Any arthropod-borne virus associated with neuroinvasive disease.		
34		(ii) Anaplasma spp., the cause of anaplasmosis.		
35		(iii) Any hantavirus or hemorrhagic fever virus.		
36				
		(iv) Chlamydia psittaci, the cause of psittacosis.		
37		(v) Chikungunya virus.		

1			<i>(</i> .)			
1			(vi)	Coxiella burnetii, the cause of Q fever.		
2			(vii)	Dengue virus.		
3			(viii)	Ehrlichia spp., the causes of ehrlichiosis.		
4			(ix)	Measles (rubeola) virus.		
5			(x)	Mumps virus.		
6			(xi)	Rickettsia rickettsii, the cause of Rocky Mountain spotted fever.		
7			(xii)	Rubella virus.		
8			(xiii)	Varicella virus.		
9			(xiv)	Yellow fever virus.		
10		(B)	The pre	sence of IgM serum antibodies to:		
11			(i)	Any arthropod-borne virus associated with neuroinvasive disease.		
12			(ii)	Chikungunya virus.		
13			(iii)	Chlamydia psittaci.		
14			(iv)	Dengue virus.		
15			(v)	Hepatitis A virus.		
16			(vi)	Hepatitis B virus core antigen.		
17			(vii)	Mumps virus.		
18			(viii)	Rubella virus.		
19			(ix)	Rubeola (measles) virus.		
20			(x)	Yellow fever virus.		
21	(4)	Laborato	ory resul	ts from tests to determine the absolute and relative counts for the T-helper (CD4)		
22		subset of	f lympho	ocytes and all results from tests to determine HIV viral load.		
23	(5)	Identifica	ation of	CRE CPO from a clinical specimen associated with either infection or colonization,		
24		including	g all sus	ceptibility results and all phenotypic or molecular test results.		
25	(d) Laboratories	ories utilizing electronic laboratory reporting (ELR) shall report in addition to those listed under Paragraph				
26	(c) of this Rule:					
27	(1)	All posit	ive labo	ratory results from tests used to diagnosis chronic Hepatitis C Infection, including		
28		the following:				
29		(A)	Hepatiti	s C virus antibody tests (including the test specific signal to cut-off (s/c) ratio);		
30		(B)	Hepatiti	s C nucleic acid tests;		
31		(C)	Hepatiti	s C antigen(s) tests; and		
32		(D)	Hepatiti	s C genotypic tests.		
33	(2)	All HIV	genotyp	ic test results, including when available:		
34	, ,	(A)	The ent	ire nucleotide sequence; or		
35		` ′		region sequence (including all regions: protease (PR)/reverse transcriptase (RT)		
36			•	grase (INI) genes, if available).		
37	(3)			or Interferon Gamma Release Assays.		
•	(-)			,		

```
(e) For the purposes of reporting, Carbapenem Resistant Enterobacteriaceae (CRE) are defined as:
 1
 2
                       Enterobacter spp., E.coli or Klebsiella spp positive for a known carbapenemase resistance
 3
                       mechanism or positive on a phenotypic test for carbapenemase production; or
 4
                       Enterobacter spp., E.coli or Klebsiella spp resistant to any carbapenem in the absence of
               (2)
 5
                       carbapenemase resistance mechanism testing or phenotypic testing for carbapenemase production.
 6
 7
      History Note:
                       Authority G.S. 130A-134; 130A-135; 130A-139; 130A-141;
 8
                       Amended Eff. October 1, 1994; February 1, 1990;
 9
                       Temporary Amendment Eff. July 1, 1997;
10
                       Amended Eff. August 1, 1998;
11
                       Temporary Amendment Eff. February 13, 2003; October 1, 2002; February 18, 2002; June 1, 2001;
12
                       Amended Eff. April 1, 2003;
13
                       Temporary Amendment Eff. November 1, 2003; May 16, 2003;
14
                       Amended Eff. January 1, 2005; April 1, 2004;
                       Temporary Amendment Eff. June 1, 2006;
15
                       Amended Eff. April 1, 2008; November 1, 2007; October 1, 2006;
16
                       Temporary Amendment Eff. January 1, 2010;
17
18
                       Temporary Amendment Expired September 11, 2011;
19
                       Amended Eff. July 1, 2013;
20
                       Temporary Amendment Eff. December 2, 2014;
21
                       Amended Eff. October 1, 2015;
22
                       Emergency Amendment Eff. March 1, 2016;
23
                       Temporary Amendment Eff. July 1, 2016;
24
                       Amended Eff. January 1, 2018; October 1, 2016;
25
                       Pursuant to G.S. 150B-21.3A, rule is necessary without substantive public interest Eff. January 9,
26
                       2018:
27
                       Amended Eff. October 1, 2018;
28
                       Emergency Amendment Eff. February 17, 2020;
29
                       Temporary Amendment Eff. April 24, 2020;
30
                       Amended Eff. April 1, 2021; July 1, <del>2020.</del> 2020;
31
                       Amended Eff. November 1, 2024.
```