1	10A NCAC 41A .0101 is amended as published in 34:17 NCR 1652–1655 as follows:
2	
3	<b>CHAPTER 41 - EPIDEMIOLOGY HEALTH</b>
4	
5	SUBCHAPTER 41A - COMMUNICABLE DISEASE CONTROL
6	
7	SECTION .0100 - COMMUNICABLE DISEASE CONTROL
8	
9	10A NCAC 41A .0101 REPORTABLE DISEASES AND CONDITIONS
10	(a) The following named diseases and conditions are declared to be dangerous to the public health and are hereby
11	made reportable within the time period specified after the disease or condition is reasonably suspected to exist:
12	(1) acquired immune deficiency syndrome (AIDS) - 24 hours;
13	(2) acute flaccid myelitis $-7$ days;
14	(3) anaplasmosis – 7 days;
15	(4)(2) anthrax - immediately;
16	(5) arboviral infection, neuroinvasive – 7 days;
17	(6) babesiosis – 7 days:
18	(7)(3) botulism - immediately;
19	(8)(4) brucellosis - 7 days;
20	(9)(5) campylobacter infection - 24 hours;
21	(10)(6) Candida auris - 24 hours;
22	(11)(7) Carbapenem-Resistant Enterobacteriaceae (CRE) – 24 hours;
23	(12)(8) chancroid - 24 hours;
24	(13)(9) chikungunya virus infection - 24 hours;
25	(14)(10) chlamydial infection (laboratory confirmed) - 7 days;
26	(15)(11) cholera - 24 hours;
27	(16)(12) Creutzfeldt-Jakob disease – 7 days;
28	(17)(13) cryptosporidiosis – 24 hours;
29	(18)(14) cyclosporiasis – 24 hours;
30	<u>(19)(15)</u> dengue - 7 days;
31	(20)(16) diphtheria - 24 hours;
32	(21)(17) Escherichia coli, shiga toxin-producing infection - 24 hours;
33	(22)(18) ehrlichiosis – 7 days;
34	(19) encephalitis, arboviral - 7 days;
35	(23)(20) foodborne disease, including Clostridium perfringens, staphylococcal, Bacillus cereus, and other
36	and unknown causes - 24 hours;

1	(24)(21) gonorrhea - 24 hours;
2	(25)(22) granuloma inguinale - 24 hours;
3	(26)(23) Haemophilus influenzae, invasive disease - 24 hours;
4	(27)(24) Hantavirus infection – 7 days;
5	(28)(25) Hemolytic-uremic syndrome – 24 hours;
6	(29)(26) Hemorrhagic fever virus infection – immediately;
7	( <u>30)(27)</u> hepatitis A - 24 hours;
8	( <u>31)(28)</u> hepatitis B - 24 hours;
9	(32)(29) hepatitis B carriage - 7 days;
10	(33)(30) hepatitis C, acute – 7 days;
11	(34)(31) human immunodeficiency virus (HIV) infection confirmed - 24 hours;
12	(35)(32) influenza virus infection causing death – 24 hours;
13	(36)(33) legionellosis - 7 days;
14	<u>(37)</u> (34) leprosy – 7 days;
15	(38)(35) leptospirosis - 7 days;
16	<u>(39)(36)</u> listeriosis – 24 hours;
17	<u>(40)</u> ( <del>37)</del> Lyme disease - 7 days;
18	(41)(38) Lymphogranuloma venereum - 7 days;
19	<u>(42)</u> (39) malaria - 7 days;
20	(43)(40) measles (rubeola) - immediately; 24 hours;
21	(44)(41) meningitis, pneumococcal - 7 days;
22	(45)(42) meningococcal disease - 24 hours;
23	(46)(43) Middle East respiratory syndrome (MERS) - 24 hours;
24	(47)(44) monkeypox – 24 hours;
25	<u>(48)</u> (4 <del>5)</del> mumps - 7 days;
26	(49)(46) nongonococcal urethritis - 7 days;
27	(50) novel coronavirus infection causing death $-24$ hours;
28	(51) novel coronavirus infection – immediately;
29	(52)(47) novel influenza virus infection – immediately;
30	(53)(48) plague - immediately;
31	(54)(49) paralytic poliomyelitis - 24 hours;
32	(55)(50) pelvic inflammatory disease – 7 days;
33	<u>(56)(51)</u> psittacosis - 7 days;
34	<u>(57)</u> ( <del>52)</del> Q fever - 7 days;
35	(58)(53) rabies, human - 24 hours;

1	(54) Rocky Mountain spotted fever - 7 days;
2	(59)(55) rubella - 24 hours;
3	(60)(56) rubella congenital syndrome - 7 days;
4	(61)(57) salmonellosis - 24 hours;
5	(62)(58) severe acute respiratory syndrome (SARS) – 24 hours;
6	<u>(63)(59)</u> shigellosis - 24 hours;
7	(64)(60) smallpox - immediately;
8	(65) spotted fever rickettsiosis – 7 days;
9	<u>(66)(61)</u> Staphylococcus aureus with reduced susceptibility to vancomycin – 24 hours;
10	(67)(62) streptococcal infection, Group A, invasive disease - 7 days;
11	<u>(68)(63)</u> syphilis - 24 hours;
12	<u>(69)(64)</u> tetanus - 7 days;
13	(70)(65) toxic shock syndrome - 7 days;
14	<u>(71)(66)</u> trichinosis - 7 days;
15	( <u>72)(67)</u> tuberculosis - 24 hours;
16	(73)(68) tularemia – immediately;
17	( <u>74)</u> ( <del>69)</del> typhoid - 24 hours;
18	(75)(70) typhoid carriage (Salmonella typhi) - 7 days;
19	(76)(71) typhus, epidemic (louse-borne) - 7 days;
20	<u>(77)<del>(72)</del> vaccinia – 24 hours;</u>
21	(78) varicella – 24 hours:
22	(79)(73) vibrio infection (other than cholera) – 24 hours;
23	(80)(74) whooping cough – 24 hours; <del>and</del>
24	<u>(81)(75)</u> yellow fever – 7 <u>days;</u> <u>days.</u> <u>and</u>
25	(82) zika virus - 24 hours.
26	(b) For purposes of reporting, "confirmed human immunodeficiency virus (HIV) infection" is defined as a positive
27	virus culture, repeatedly reactive EIA antibody test confirmed by western blot or indirect immunofluorescent antibody

virus culture, repeatedly reactive EIA antibody test confirmed by western blot or indirect immunofluorescent antibody test, positive nucleic acid detection (NAT) test, or other confirmed testing method approved by the Director of the State Public Health Laboratory conducted on or after February 1, 1990. In selecting additional tests for approval, the Director of the State Public Health Laboratory shall consider whether such tests have been approved by the federal Food and Drug Administration, recommended by the federal Centers for Disease Control and Prevention, and endorsed by the Association of Public Health Laboratories.

33 (c) In addition to the laboratory reports for Mycobacterium tuberculosis, Neisseria gonorrhoeae, and syphilis specified

34 in G.S. 130A-139, laboratories shall report using electronic laboratory reporting (ELR), secure telecommunication, or

35 paper reports.

1	(1)	Isolation or other specific identification of the following organisms or their products from human
2		clinical specimens:
3		(A) <u>Anaplasma spp, the causes of anaplasmosis.</u>
4		(B) Any hantavirus or hemorrhagic fever virus.
5		(C)(B) Arthropod-borne virus (any type).
6		(D) Babesia spp., the cause of babesiosis.
7		$(\underline{E})(\underline{C})$ Bacillus anthracis, the cause of anthrax.
8		$(\underline{F})(\underline{D})$ Bordetella pertussis, the cause of whooping cough (pertussis).
9		(G)(E) Borrelia burgdorferi, the cause of Lyme disease (confirmed tests).
10		(H)(F) Brucella spp., the causes of brucellosis.
11		(I)(G) Campylobacter spp., the causes of campylobacteriosis.
12		(J)(H) Candida auris.
13		(K)(I) Carbapenem-Resistant Enterobacteriaceae (CRE).
14		(L)(J) Chlamydia trachomatis, the cause of genital chlamydial infection, conjunctivitis (adult and
15		newborn) and pneumonia of newborns.
16		(M)(K) Clostridium botulinum, a cause of botulism.
17		(N)(L) Clostridium tetani, the cause of tetanus.
18		(O) Coronavirus, novel human strain.
19		(P)(M) Corynebacterium diphtheriae, the cause of diphtheria.
20		(Q)(N) Coxiella burnetii, the cause of Q fever.
21		(R)(O) Cryptosporidium spp., parvum, the cause of human cryptosporidiosis.
22		$(\underline{S})(\underline{P})$ Cyclospora cayetanesis, the cause of cyclosporiasis.
23		(T) Dengue virus.
24		(U)(Q) Ehrlichia spp., the causes of ehrlichiosis.
25		(V)(R) Shiga toxin-producing Escherichia coli, a cause of hemorrhagic colitis, hemolytic uremic
26		syndrome, and thrombotic thrombocytopenic purpura.
27		(W)(S) Francisella tularensis, the cause of tularemia.
28		(X) Hepatitis A virus.
29		$(\underline{Y})(\underline{T})$ Hepatitis B virus or any component thereof, such as hepatitis B surface antigen.
30		$(\underline{Z})(\underline{U})$ Human Immunodeficiency Virus, the cause of AIDS.
31		(AA)(V)Legionella spp., the causes of legionellosis.
32		(BB)(W) Leptospira spp., the causes of leptospirosis.
33		(CC)(X) Listeria monocytogenes, the cause of listeriosis.
34		(DD) Measles virus.
35		(EE)(Y) Middle East respiratory syndrome virus.
36		(FF)( <del>Z)</del> Monkeypox.
37		(GG) Mumps virus.

1		(HH)(AA) Mycobacterium leprae, the cause of leprosy.
2		(II)(BB) Plasmodium falciparum, P. malariae, P. ovale, and P. vivax, the causes of malaria in
3		humans.
4		(JJ)(CC) Poliovirus (any), the cause of poliomyelitis.
5		(KK)(DD) Rabies virus.
6		(LL)(EE) Rickettsia spp., rickettsii, the cause of Rocky Mountain spotted fever rickettsiosis. fever.
7		(MM)(FF) Rubella virus.
8		(NN)(GG) Salmonella spp., the causes of salmonellosis.
9		(OO)(HH) Shigella spp., the causes of shigellosis.
10		(PP)(II) Smallpox virus, the cause of smallpox.
11		(QQ)(JJ)Staphylococcus aureus with reduced susceptibility to vanomycin.
12		(RR)(KK) Trichinella spiralis, the cause of trichinosis.
13		( <u>SS)(LL)</u> Vaccinia virus.
14		(TT) Varicella virus.
15		(UU)(MM) Vibrio spp., the causes of cholera and other vibrioses.
16		(VV)(NN) Yellow fever virus.
17		(WW)(OO) Yersinia pestis, the cause of plague.
18		(XX) Zika virus.
19	(2)	Isolation or other specific identification of the following organisms from normally sterile human
20		body sites:
21		(A) Group A Streptococcus pyogenes (group A streptococci).
22		(B) Haemophilus influenzae, serotype b.
23		(C) Neisseria meningitidis, the cause of meningococcal disease.
24	(3)	Positive serologic test results, as specified, for the following infections:
25		(A) Fourfold or greater changes or equivalent changes in serum antibody titers to:
26		(i) Any arthropod-borne virus viruses associated with neuroinvasive disease.
27		meningitis or encephalitis in a human.
28		(ii) Anaplasma spp., the cause of anaplasmosis.
29		(iii)(iii) Any hantavirus or hemorrhagic fever virus.
30		(iv)(iii) Chlamydia psittaci, the cause of psittacosis.
31		(v) Chikungunya virus.
32		(vi)(iv) Coxiella burnetii, the cause of Q fever.
33		(vii)(v) Dengue virus.
34		(viii)(vi) Ehrlichia spp., the causes of ehrlichiosis.
35		(ix)(vii) Measles (rubeola) virus.
36		(x)(viii) Mumps virus.
37		(xi)(ix) Rickettsia rickettsii, the cause of Rocky Mountain spotted fever.

1		<u>(xii)(</u> ;	) Rubella virus.
2		<u>(xiii)</u>	Varicella virus.
3		<u>(xiv)</u> (	<del>ki)</del> Yellow fever virus.
4		(B) The p	resence of IgM serum antibodies to:
5		<u>(i)</u>	Any arthropod-borne virus associated with neuroinvasive disease.
6		<u>(ii)</u>	Chikungunya virus.
7		<u>(iii)(i)</u>	Chlamydia psittaci.
8		<u>(iv)</u>	Dengue virus.
9		<u>(v)(ii)</u>	Hepatitis A virus.
10		<u>(vi)(ii</u>	Hepatitis B virus core antigen.
11		<u>(vii)</u>	<u>Mumps virus.</u>
12		<u>(viii)</u> (	i <del>v)</del> Rubella virus.
13		<u>(ix)(v</u>	Rubeola (measles) virus.
14		<u>(x)(vi</u>	Yellow fever virus.
15	(4)	Laboratory res	ults from tests to determine the absolute and relative counts for the T-helper (CD4)
16		subset of lymp	nocytes and all results from tests to determine HIV viral load.
17	(5)	Identification of	of CRE from a clinical specimen associated with either infection or colonization,
18		including all su	sceptibility results and all phenotypic or molecular test results.
19	(d) Laboratories	sutilizing electro	nic laboratory reporting (ELR) shall report in addition to those listed under Paragraph
20	(c) of this Rule:		
21	(1)	All positive lab	oratory results from tests used to diagnosis chronic Hepatitis C Infection, including
22		the following:	
23		(A) Hepat	itis C virus antibody tests (including the test specific signal to cut-off (s/c) ratio);
24		(B) Hepat	itis C nucleic acid tests;
25		(C) Hepat	itis C antigen(s) tests; and
26		(D) Hepat	itis C genotypic tests.
27	(2)	All HIV genot	pic test results, including when available:
28		(A) The e	tire nucleotide sequence; or
29		(B) The p	ol region sequence (including all regions: protease (PR)/reverse transcriptase (RT)
30		and in	tegrase (INI) genes, if available).
31	(3)	All test results	for Interferon Gamma Release Assays.
32	(e) For the purp	oses of reporting	, Carbapenem-Resistant Enterobacteriaceae (CRE) are defined as:
33	(1)	Enterobacter s	pp, E.coli or Klebsiella spp positive for a known carbapenemase resistance
34		mechanism or	positive on a phenotypic test for carbapenemase production; or
35	(2)	Enterobacter s	pp, E.coli or Klebsiella spp resistant to any carbapenem in the absence of
36		carbapenemase	resistance mechanism testing or phenotypic testing for carbapenemase production.
37			

1	History, Notes	And Society C. S. 1204, 124, 1204, 125, 1204, 120, 1204, 141,
1	History Note:	Authority G.S. 130A-134; 130A-135; 130A-139; 130A-141;
2		Amended Eff. October 1, 1994; February 1, 1990;
3		Temporary Amendment Eff. July 1, 1997;
4		Amended Eff. August 1, 1998;
5		Temporary Amendment Eff. February 13, 2003; October 1, 2002; February 18, 2002; June 1, 2001;
6		Amended Eff. April 1, 2003;
7		Temporary Amendment Eff. November 1, 2003; May 16, 2003;
8		Amended Eff. January 1, 2005; April 1, 2004;
9		Temporary Amendment Eff. June 1, 2006;
10		Amended Eff. April 1, 2008; November 1, 2007; October 1, 2006;
11		Temporary Amendment Eff. January 1, 2010;
12		Temporary Amendment Expired September 11, 2011;
13		Amended Eff. July 1, 2013;
14		Temporary Amendment Eff. December 2, 2014;
15		Amended Eff. October 1, 2015;
16		Emergency Amendment Eff. March 1, 2016;
17		Temporary Amendment Eff. July 1, 2016;
18		Amended Eff. January 1, 2018; October 1, 2016;
19		Pursuant to G.S. 150B-21.3A, rule is necessary without substantive public interest Eff. January 9,
20		2018;
21		Amended Eff. October 1, 2018;
22		Emergency Amendment Eff. February 17, 2020;
23		Temporary Amendment Eff. April 24, 2020.