Burgos, Alexander N

Subject: FW: September 2019 Meeting - Items D-7, D-8 & D-9

From: Martin, Carl < Carl.Martin@ncdoi.gov>

Sent: Tuesday, July 14, 2020 3:49 PM

To: Reeder, Amanda J amanda.reeder@oah.nc.gov>

Subject: RE: September 2019 Meeting - Items D-7, D-8 & D-9

Yes. The proponent for these items is planning to make a new submittal for Building Code Council at their September 2020 meeting.

Carl Martin Chief Code Consultant



N.C. Department of Insurance Office of State Fire Marshal 1202 Mail Service Center Raleigh, NC 27699-1202 919.647.0009

"Consistency" as defined by Miriam Webster – "harmony of conduct or practice with profession"

From: Reeder, Amanda J <amanda.reeder@oah.nc.gov>

Sent: Tuesday, July 14, 2020 3:16 PM **To:** Martin, Carl < Carl. Martin@ncdoi.gov>

Cc: Reeder, Amanda J amanda.reeder@oah.nc.gov>

Subject: RE: September 2019 Meeting - Items D-7, D-8 & D-9

Carl:

Thank you for your email. Since this will be posted to the online agenda, I just want to be clear.

The Building Code Council is responding to the RRC's objection by withdrawing Residential Code N1106.2 (R406.2); Energy Conservation Code, R202; Energy Conservation Code, R406.2. As such, the rules will be returned to the agency.

Is that a correct statement of the expectation of the agency?

Thank you!

Amanda J. Reeder Counsel to the Rules Review Commission NC Office of Administrative Hearings

New Telephone Number Effective May 1, 2020: 984-236-1939

E-mail correspondence to and from this address may be subject to the North Carolina Public Records Law N.C.G.S. Chapter 132 and may be disclosed to third parties.

From: Martin, Carl < Carl.Martin@ncdoi.gov>

Sent: Tuesday, July 14, 2020 2:35 PM

To: Reeder, Amanda J amanda.reeder@oah.nc.gov

Cc: Hollis, Carrie < carrie.hollis@osbm.nc.gov >; rdavis1352@aol.com; priestarchitect@bellsouth.net; Isaac, Clifford

<<u>Cliff.Isaac@ncdoi.gov</u>>; Holder, Karen <<u>Karen.Holder@ncdoi.gov</u>>

Subject: RE: September 2019 Meeting - Items D-7, D-8 & D-9

Amanda,

The NC Building Code Council (BCC) voted today to withdraw rules D-7, D-8 and D-9 of the September 2019 BCC meeting that are currently before the Rules Review Commission.

Carl Martin Chief Code Consultant



N.C. Department of Insurance Office of State Fire Marshal 1202 Mail Service Center Raleigh, NC 27699-1202 919.647.0009

"Consistency" as defined by Miriam Webster – "harmony of conduct or practice with profession"

and may be disclosed to third parties by an authorized state official.

Email correspondence to and from this address may be subject to the North Carolina Public Records Law and may be disclosed to third parties by an authorized state official.



STATE OF NORTH CAROLINA OFFICE OF ADMINISTRATIVE HEARINGS

Mailing address: 6714 Mail Service Center Raleigh, NC 27699-6700 Street address: 1711 New Hope Church Rd Raleigh, NC 27609-6285

May 22, 2020

Carl Martin, Rulemaking Coordinator Building Code Council Sent via email only: carl.martin@doi.gov

Re: Residential Code, N1106.2 (R406.2); Energy Conservation Code, R202; and Energy Conservation Code R406.2.

Dear Mr. Martin:

At its meeting on May 21, 2020, the Rules Review Commission objected to the above-captioned rules in accordance with G.S. 150B-21.10.

The RRC objected to these Rules for failure to comply with the APA. Specifically, the agency stated that no fiscal note was required for these Rules in its Notice of Text, published May 15, 2019. Pursuant to G.S. 150B-21.9(a), following a request from the public, the RRC sent the rules to the Office of State Budget Management (OSBM) to determine if these rules created a substantial economic impact. In a letter dated May 11, 2020, OSBM stated that fiscal note was required for these three rules.

Therefore, pursuant to G.S. 150B-21.4(b1) and 150B-21.9(a)(4), the RRC found that the agency did not comply with the APA.

Please respond to this letter in accordance with the provisions of G.S. 150B-21.12. If you have any questions regarding the Commission's action, please let me know.

Sincerely,

Amanda J. Reeder

Commission Counsel