15A NCAC 02B .0311 has been amended with changes as published in 29:13 NCR 1606-1609 as follows:

3	15A NCAC 02B .	.0311	CAPE FEAR RIVER BASIN		
4	(a) Effective February 1,		1976, the adopted classifications assigned to the waters within the Cape Fear River Basin		
5	are set forth in the Cape Fear River Basin Schedule of Classifications and Water Quality Standards, which may be				
6	inspected at the following places:				
7	(1)	the Inter	rnet at http://portal.ncdenr.org/web/wq/ps/csu/rules; and		
8	(2)	the Nort	th Carolina Department of Environment and Natural Resources:		
9		(A)	Winston-Salem Regional Office		
10			585 Waughtown Street		
11			Winston-Salem, North Carolina		
12		(B)	Fayetteville Regional Office		
13			225 Green Street		
14			Systel Building Suite 714		
15			Fayetteville, North Carolina		
16		(C)	Raleigh Regional Office		
17			3800 Barrett Drive		
18			Raleigh, North Carolina		
19		(D)	Washington Regional Office		
20			943 Washington Square Mall		
21			Washington, North Carolina		
22		(E)	Wilmington Regional Office		
23			127 Cardinal Drive Extension		
24			Wilmington, North Carolina		
25		(F)	Division of Water Quality		
26			Central Office		
27			512 North Salisbury Street		
28			Raleigh, North Carolina.		
29	(b) The Cape Fea	r River I	Basin Schedule of Classification and Water Quality Standards was amended effective:		
30	(1)	March 1	, 1977;		
31	(2)	Decemb	per 13, 1979;		
32	(3)	Decemb	per 14, 1980;		
33	(4)	August	9, 1981;		
34	(5)	April 1,	1982;		
35	(6)	Decemb	per 1, 1983;		
36	(7)	January	1, 1985;		
37	(8)	August	1, 1985;		

1	(9)	December 1, 1985;			
2	(10)	February 1, 1986;			
3	(11)	July 1, 1987;			
4	(12)	October 1, 1987;			
5	(13)	March 1, 1988;			
6	(14)	August 1, 1990.			
7	(c) The Sched	ule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended			
8	8 effective June 1, 1988 as follows:				
9	(1)	Cane Creek [Index No. 16-21-(1)] from source to a point 0.5 mile north of N.C. Hwy. 54 (Cane			
10		Reservoir Dam) including the Cane Creek Reservoir and all tributaries has been reclassified from			
11		Class WS-III to WS-I.			
12	(2)	Morgan Creek [Index No. 16-41-1-(1)] to the University Lake dam including University Lake and			
13		all tributaries has been reclassified from Class WS-III to WS-I.			
14	(d) The Sched	ule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended			
15	effective July 1,	1988 by the reclassification of Crane Creek (Crains Creek) [Index No. 18-23-16-(1)] from source to			
16	mouth of Beave	r Creek including all tributaries from C to WS-III.			
17	(e) The Sched	ule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended			
18	effective Januar	y 1, 1990 as follows:			
19	(1)	Intracoastal Waterway (Index No. 18-87) from southern edge of White Oak River Basin to			
20		western end of Permuda Island (a line from Morris Landing to Atlantic Ocean), from the eastern			
21		mouth of Old Topsail Creek to the southwestern shore of Howe Creek and from the southwest			
22		mouth of Shinn Creek to channel marker No. 153 including all tributaries except the King Creek			
23		Restricted Area, Hardison Creek, Old Topsail Creek, Mill Creek, Futch Creek and Pages Creek			
24		were reclassified from Class SA to Class SA ORW.			
25	(2)	Topsail Sound and Middle Sound ORW Area which includes all waters between the Barrier			
26		Islands and the Intracoastal Waterway located between a line running from the western most shore			
27		of Mason Inlet to the southwestern shore of Howe Creek and a line running from the western			
28		shore of New Topsail Inlet to the eastern mouth of Old Topsail Creek was reclassified from Class			
29		SA to Class SA ORW.			
30	(3)	Masonboro Sound ORW Area which includes all waters between the Barrier Islands and the			
31		mainland from a line running from the southwest mouth of Shinn Creek at the Intracoastal			
32		Waterway to the southern shore of Masonboro Inlet and a line running from the Intracoastal			
33		Waterway Channel marker No. 153 to the southside of the Carolina Beach Inlet was reclassified			
34		from Class SA to Class SA ORW.			
35	(f) The Schedule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended				
36	effective January 1, 1990 as follows: Big Alamance Creek [Index No. 16-19-(1)] from source to Lake Mackintosh				
37	Dam including all tributaries has been reclassified from Class WS-III NSW to Class WS-II NSW.				

1 (g) The Schedule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended 2 effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of 3 WS-I, WS-II or WS-III). These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the 4 revised water supply protection rules, (15A NCAC 02B .0100, .0200 and .0300) which became effective on August 5 3, 1992. In some cases, streams with primary classifications other than WS were reclassified to a WS classification 6 due to their proximity and linkage to water supply waters. In other cases, waters were reclassified from a WS 7 classification to an alternate appropriate primary classification after being identified as downstream of a water 8 supply intake or identified as not being used for water supply purposes.

9 (h) The Schedule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended
 effective June 1, 1994 as follows:

- 11(1)The Black River from its source to the Cape Fear River [Index Nos. 18-68-(0.5), 18-68-(3.5) and1218-65-(11.5)] was reclassified from Classes C Sw and C Sw HQW to Class C Sw ORW.
- 13(2)The South River from Big Swamp to the Black River [Index Nos. 18-68-12-(0.5) and 18-68-1412(11.5)] was reclassified from Classes C Sw and C Sw HQW to Class C Sw ORW.
- 15 16

(3) Six Runs Creek from Quewhiffle Swamp to the Black River [Index No. 18-68-2] was reclassified from Class C Sw to Class C Sw ORW.

(i) The Schedule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended
effective September 1, 1994 with the reclassification of the Deep River [Index No. 17-(36.5)] from the Town of
Gulf-Goldston water supply intake to US highway 421 including associated tributaries from Class C to Classes C,
WS-IV and WS-IV CA.

(j) The Schedule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended
effective August 1, 1998 with the revision to the primary classification for portions of the Deep River [Index No. 17(28.5)] from Class WS-IV to Class WS-V, Deep River [Index No. 17-(41.5)] from Class WS-IV to Class C, and the

24 Cape Fear River [Index 18-(10.5)] from Class WS-IV to Class WS-V.

- (k) The Schedule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended
   effective April 1, 1999 with the reclassification of Buckhorn Creek (Harris Lake)[Index No. 18-7-(3)] from the
- 27 backwaters of Harris Lake to the Dam at Harris Lake from Class C to Class WS-V.

28 (1) The Schedule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended

29 effective April 1, 1999 with the reclassification of the Deep River [Index No. 17-(4)] from the dam at Oakdale-

- 30 Cotton Mills, Inc. to the dam at Randleman Reservoir (located 1.6 mile upstream of U.S. Hwy 220 Business), and
- 31 including tributaries from Class C and Class B to Class WS-IV and Class WS-IV & B. Streams within the
- 32 Randleman Reservoir Critical Area have been reclassified to WS-IV CA. The Critical Area for a WS-IV reservoir is
- defined as 0.5 mile and draining to the normal pool elevation of the reservoir. All waters within the Randleman
- 34 Reservoir Water Supply Watershed are within a designated Critical Water Supply Watershed and are subject to a
- 35 special management strategy specified in 15A NCAC 02B .0248.
- 36 (m) The Schedule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended
- 37 effective August 1, 2002 as follows:

1	(1)	Mill Creek [Index Nos. 18-23-11-(1), 18-23-11-(2), 18-23-11-3, 18-23-11-(5)] from its source to
2		the Little River, including all tributaries was reclassified from Class WS-III NSW and Class WS-
3		III B NSW to Class WS-III NSW HQW@ and Class WS-III B NSW HQW@.
4	(2)	McDeed's Creek [Index Nos. 18-23-11-4, 18-23-11-4-1] from its source to Mill Creek, including
5		all tributaries was reclassified from Class WS III NSW and Class WS-III B NSW to Class WS-III
6		NSW HQW@ and Class WS-III B NSW HQW@.
7	The "@" symbo	ol as used in this Paragraph means that if the governing municipality has deemed that a development
8	is covered unde	er a "5/70 provision" as described in Rule 15A NCAC 02B .0215(3)(b)(i)(E) (Fresh Surface Water
9	Quality Standar	ds for Class WS-III Waters), then that development is not subject to the stormwater requirements as
10	described in rule	e 15A NCAC 02H .1006 (Stormwater Requirements: High Quality Waters).
11	(n) The Sched	ule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended
12	effective Noven	nber 1, 2004 as follows:
13	(1)	the portion of Rocky River [Index Number 17-43-(1)] from a point 0.3 mile upstream of Town of
14		Siler City upper reservoir dam to a point 0.3 mile downstream of Lacy Creek from WS-III to WS-
15		III CA.
16	(2)	the portion of Rocky River [Index Number 17-43-(8)] from dam at lower water supply reservoir
17		for Town of Siler City to a point 65 feet below dam (site of proposed dam) from C to WS-III CA.
18	(3)	the portion of Mud Lick Creek (Index No. 17-43-6) from a point 0.4 mile upstream of Chatham
19		County SR 1355 to Town of Siler City lower water supply reservoir from WS-III to WS-III CA.
20	(4)	the portion of Lacy Creek (17-43-7) from a point 0.6 mile downstream of Chatham County SR
21		1362 to Town of Siler City lower water supply reservoir from WS-III to WS-III CA.
22	(o) The Sched	ule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended
23	effective Nover	mber 1, 2007 with the reclassifications listed below, and the North Carolina Division of Water
24	Quality maintai	ns a Geographic Information Systems data layer of these UWLs.
25	(1)	Military Ocean Terminal Sunny Point Pools, all on the eastern shore of the Cape Fear River [Index
26		No. 18-(71)] were reclassified to Class WL UWL as defined in 15A NCAC 02B .0101.
27	(2)	Salters Lake Bay near Salters Lake [Index No. 18-44-4] was reclassified to Class WL UWL as
28		defined in 15A NCAC 02B .0101.
29	(3)	Jones Lake Bay near Jones Lake [Index No. 18-46-7-1] was reclassified to Class WL UWL as
30		defined in 15A NCAC 02B .0101.
31	(4)	Weymouth Woods Sandhill Seep near Mill Creek [18-23-11-(1)] was reclassified to Class WL
32		UWL as defined in 15A NCAC 02B .0101.
33	(5)	Fly Trap Savanna near Cape Fear River [Index No. 18-(71)] was reclassified to Class WL UWL as
34		defined in 15A NCAC 02B .0101.
35	(6)	Lily Pond near Cape Fear River [Index No. 18-(71)] was reclassified to Class WL UWL as
36		defined in 15A NCAC 02B .0101.

1	(7)	Grassy Pond near Cape Fear River [Index No. 18-(71)] was reclassified to Class WL UWL as		
2		defined in 15A NCAC 02B .0101.		
3	(8)	The Neck Savanna near Sandy Run Swamp [Index No. 18-74-33-2] was reclassified to Class WL		
4		UWL as defined in 15A NCAC 02B .0101.		
5	(9)	Bower's Bog near Mill Creek [Index No. 18-23-11-(1)] was reclassified to Class WL UWL as		
6		defined in 15A NCAC 02B .0101.		
7	(10)	Bushy Lake near Turnbull Creek [Index No. 18-46] was reclassified to Class WL UWL as defined		
8		in 15A NCAC 02B .0101.		
9	(p) The Schedule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended			
10	effective January 1, 2009 as follows:			
11	(1)	the portion of Cape Fear River [Index No. 18-(26)] (including tributaries) from Smithfield Packing		
12		Company's intake, located approximately 2 miles upstream of County Road 1316, to a point 0.5		
13		miles upstream of Smithfield Packing Company's intake from Class C to Class WS-IV CA.		
14	(2)	the portion of Cape Fear River [Index No.18-(26)] (including tributaries) from a point 0.5 miles		
15		upstream of Smithfield Packing Company's intake to a point 1 mile upstream of Grays Creek from		
16		Class C to Class WS-IV.		
17		ule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended		
18	-	t 11, 2009 with the reclassification of all Class C NSW waters and all Class B NSW waters upstream		
19		E. Everett Jordan Reservoir from Class C NSW and Class B NSW to Class WS-V NSW and Class		
20		SW, respectively. All waters within the B. Everett Jordan Reservoir Watershed are within a		
21	designated Criti	cal Water Supply Watershed and are subject to a special management strategy specified in 15A		
22		52 through .0273.		
23		ule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended		
24	_	nber 1, 2009 with the reclassification of a portion of the Haw River [Index No. 16-(28.5)] from the		
25		tro water supply intake, which is located approximately 0.15 mile west of U.S. 15/501, to a point 0.5		
26	-	f the Town of Pittsboro water supply intake from Class WS-IV to Class WS-IV CA.		
27		le of Classifications and Water Quality Standards for the Cape Fear River Basin was amended		
28		1, 2012 with the reclassification of the portion of the Haw River [Index No. 16-(1)] from the City of		
29		take, located approximately 650 feet upstream of Guilford County 2712, to a point 0.5 miles		
30		upstream of the intake from Class WS-V NSW to Class WS-IV CA NSW, and the portion of the Haw River [Index		
31	No. 16-(1)] from a point 0.5 miles upstream of the intake to a point 0.6 miles downstream of U.S. Route 29 from			
32	Class WS-V NSW to Class WS-IV NSW.			
33	(t) The Schedule of Classifications and Water Quality Standards for the Cape Fear River Basin was amended			
34	effective [November 1, 2015] August 1, 2016 with the reclassification of a section of 18-(71) from upstream mouth			
35	of Toomers Creek to a line across the river between Lilliput Creek and Snows Cut from Class SC to Class SC Sw.			
36	A site-specific r	nanagement strategy is outlined in 15A NCAC 02B .0227.		
37				

1	History Note:	Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);
2		Eff. February 1, 1976;
3		Amended Eff. August 1, 2016; March 1, 2012; September 1, 2009; August 11, 2009; January 1,
4		2009; November 1, 2007; November 1, 2004; August 1, 2002; April 1, 1999; August 1, 1998;
5		September 1, 1994; June 1, 1994; August 3, 1992; August 1, 1990.
6		