

2012 NC Building Code

1109.2.1 Family or assisted-use toilet and bathing rooms. (151215 Item B-3)

1109.2.1 Family or assisted-use toilet and bathing rooms. In assembly and mercantile occupancies, an *accessible* family or assisted-use toilet room shall be provided where an aggregate of six or more male and female water closets is required. In buildings of mixed occupancy, only those water closets required for the assembly or mercantile occupancy shall be used to determine the family or assisted-use toilet room requirement. In recreational facilities where separate-sex bathing rooms are provided, an *accessible* family or assisted-use bathing room shall be provided. Fixtures located within family or assisted-use toilet and bathing rooms shall be included in determining the number of fixtures provided in an occupancy.

Exceptions:

1. Where each separate-sex bathing room has only one shower or bathtub fixture, a family or assisted-use bathing room is not required.
2. In an assembly occupancy that meets the definition of a nightclub in 902.1, the family or assisted-use toilet room is not required.

The delayed effective date of this Rule is January 1, 2017.

The Statutory authority for Rule-making is G. S. 143-136; 143-138.

2012 NC Plumbing Code

416.5 Tempered water for public hand-washing facilities. (151215 Item B-1)

416.5 Tempered water for public hand-washing facilities. Deleted. When hot water is provided to a public hand-washing facility, such water shall be tempered water delivered through an *approved* water-temperature limiting device that conforms to ASSE 1070 or CSA B125.3.

The delayed effective date of this Rule is January 1, 2017.

The Statutory authority for Rule-making is G. S. 143-136; 143-138.