10A NCAC 13G .0206 is readopted as published in 39:06 NCR 282-316 as follows:

1 2 3

10A NCAC 13G .0206 CAPACITY

- 4 (a) Pursuant to G.S. 131D 2(a)(5), 131D-2.1(5), family care homes may have a capacity of two to six residents. For
- 5 the purposes of this Rule, "capacity" means the maximum number of residents permitted to live in a licensed family
- 6 care home in accordance with the North Carolina Building Code and the evacuation capability of each resident.
- 7 (b) The total number of residents shall not exceed the number shown on the license. The license shall indicate the
- 8 facility's capacity according to the number of ambulatory and non-ambulatory individuals permitted to live in the
- 9 home. For the purposes of this Rule, "ambulatory" means the individual is able to respond and evacuate from the
- 10 <u>facility without verbal or physical assistance from others in the event of an emergency. "Non-ambulatory" means the</u>
- 11 <u>individual is not able to respond and evacuate from the facility without verbal or physical assistance from others in</u>
- 12 the event of an emergency.
- 13 (c) A request for an increase in capacity by adding rooms, remodeling remodeling, or without any building
- 14 modifications shall be made to the county department of social services and submitted to the Division of Health
- 15 Service Regulation, Regulation Construction Section and shall include accompanied by two copies of blueprints or
- 16 floor plans. One plan shall show showing the existing building with the current use of rooms, and the second
- 17 plan indicating showing the addition, remodeling remodeling, or change in use of spaces, spaces, and showing the use
- of each every room. If new construction, plans shall show how the addition will be tied into the existing building and
- all proposed changes in the structure.
- 20 (d) When licensed homes facilities increase their designed capacity by the addition to or remodeling of the existing
- 21 physical plant, the entire home facility shall meet all current fire safety regulations.
- 22 (e) The licensee or the licensee's designee shall notify the Division of Health Service Regulation Adult Care Licensure
- 23 Section if the overall evacuation eapability capabilities of the residents changes from and the facility no longer coplies
- 24 with the evacuation capability facility's licensed capacity as listed on the homes facility's license, license or of the
- 25 addition of any non-resident that will be residing within the home. facility. This information shall be submitted through
- 26 the county department of social services and forwarded to the Construction Section of the Division of Health Service
- 27 Regulation for review of any possible changes that may be required to the building.
- 28 (f) If there is a temporary change in the capacity of the facility due to a resident's short term illness or condition that
- 29 renders the resident temporarily non-ambulatory, such as end of life condition, the licensee or the licensee's designee
- 30 shall immediately notify the Division of Health Service Regulation Construction Section upon the knowledge of the
- 31 change in the resident's ambulatory status to request approval for the resident to temporarily remain in the facility.

- 33 *History Note: Authority G.S. 131D-2.4; 131D-2.16; 143B-165;*
- 34 *Eff. January 1, 1977;*
- 35 Readopted Eff. October 31, 1977;
- 36 Amended Eff. July 1, 2005; July 1, 1990; April 1, 1984; January 1, 1983. <u>1983.</u>
- 37 Readopted Eff. February 1, 2025.

| 1 | 10A NCAC 13G | 3.0301 is readopted as published in 39:06 NCR 282-316 as follows: |
|----|--------------------|--|
| 2 | | |
| 3 | 10A NCAC 13C | G .0301 APPLICATION OF PHYSICAL PLANT REQUIREMENTS |
| 4 | The physical pla | ant requirements for each \underline{A} family care home shall be applied as follows meet the following physical |
| 5 | plant requiremen | <u>nts</u> : |
| 6 | (1) | New construction and existing buildings proposed for use as a Family Care Home shall comply with |
| 7 | | the requirements of this Section; Section. |
| 8 | (2) | Except where otherwise specified, existing licensed homes or portions of existing licensed homes |
| 9 | | shall meet the licensure and code requirements in effect at the time of licensure, construction, change |
| 10 | | in service or service, change in bed count, addition, modification, renovation or alteration |
| 11 | | renovation, or alteration. however, in no case shall the requirements for any licensed home, where |
| 12 | | no addition or renovation has been made, be less than those requirements found in the 1971 |
| 13 | | "Minimum and Desired Standards and Regulations" for "Family Care Homes", copies of which are |
| 14 | | available at the Division of Health Service Regulation, 701 Barbour Drive, Raleigh, North Carolina |
| 15 | | 27603 at no cost; |
| 16 | <u>(3)</u> | In no case shall the requirements for a licensed home, where no addition or renovation has been |
| 17 | | made, be less than those requirements found in the 1971 "Minimum and Desired Standards and |
| 18 | | Regulations" for "Family Care Homes", copies of which are available at no cost at the Division o |
| 19 | | Health Service Regulation, 1800 Umstead Drive, Raleigh, North Carolina 27603. |
| 20 | (3) (4) | New additions, alterations, modifications modifications, and repairs shall meet the requirements o |
| 21 | | this Section; Section. |
| 22 | (4) | Rules contained in this Section are minimum requirements and are not intended to prohibi |
| 23 | | buildings, systems or operational conditions that exceed minimum requirements; |
| 24 | (5) | Equivalency: Alternate methods, procedures, design criteria and functional variations from the |
| 25 | | physical plant requirements shall be approved by the Division when the home can effectively |
| 26 | | demonstrate to the Division's satisfaction, that the intent of the physical plant requirements are me |
| 27 | | and that the variation does not reduce the safety or operational effectiveness of the home; and Tho |
| 28 | | Division may grant an equivalency to allow alternate methods, procedures, design criteria, o |
| 29 | | functional variation from the requirements of this Rule and the rules contained in this Section. The |
| 30 | | equivalency may be granted by the Division when a facility submits a written equivalency reques |
| 31 | | to the Division that states the following: |
| 32 | | (a) the rule citation and the rule requirement that will not be met because strict conformance |
| 33 | | with current requirements would be: |
| 34 | | (i) impractical; |
| 35 | | (ii) unable to be met due to extraordinary circumstances; |
| 36 | | (iii) unable to be met due to new programs; or |
| 37 | | (iv) unable to be met due to unusual conditions; |
| | | |

| 1 | | (b) the justification for the equivalency; and | | | |
|----|---------------|--|--|--|--|
| 2 | | (c) how the proposed equivalency meets the intent of the corresponding rule requirement. | | | |
| 3 | (6) | Where rules, codes or standards have any conflict, the most stringent requirement shall apply. In | | | |
| 4 | | determining whether to grant an equivalency request, the Division shall consider whether the request | | | |
| 5 | | will reduce the safety and operational effectiveness of the facility. The facility shall maintain a copy | | | |
| 6 | | of the approved equivalency issued by the Division, and | | | |
| 7 | <u>(7)</u> | Where rules, codes or standards have any conflict, the more stringent requirement shall apply. | | | |
| 8 | | | | | |
| 9 | History Note: | Authority G.S. 131D-2.16; 143B –165; | | | |
| 10 | | Eff. July 1, 2005. <u>2005;</u> | | | |
| 11 | | Readopted Eff. February 1, 2025. | | | |

10A NCAC 13G .0302 is readopted as published in 39:06 NCR 282-316 as follows:

1 2 3

10A NCAC 13G .0302 DESIGN AND CONSTRUCTION

- 4 (a) Any A building licensed for the first time as a family care home, or a licensed family care home relicensed
- 5 after the license is terminated for more than 60 days, shall meet the applicable requirements of the North Carolina
- 6 State Building Code. All new construction, additions and renovations to existing buildings shall meet the requirements
- 7 of the North Carolina State Building Code for One and Two Family Dwellings and Residential Care Facilities if
- 8 applicable. All applicable volumes of The North Carolina State Building Codes, which is incorporated by reference,
- 9 including all subsequent amendments, may be purchased from the Department of Insurance Engineering Division
- 10 located at 322 Chapanoke Road, Suite 200, Raleigh, North Carolina 27603 at a cost of three hundred eighty dollars
- 11 (\$380.00). Code: Residential Code, and Licensed Residential Care Facilities, if applicable, in effect at the time of
- 12 <u>licensure or relicensure</u>. Applicable volumes of The North Carolina State Building Codes, which are hereby
- incorporated by reference, including all subsequent amendments and editions, may be purchased from the International
- 14 Code Council online at https://shop.iccsafe.org/ at a cost of eight hundred fifty-eight dollars (\$858.00) or accessed
- 15 <u>electronically free of charge at https://codes.iccsafe.org/codes/north-carolina.</u>
- 16 (b) New construction, additions, alterations, modifications, and renovations to buildings shall meet the requirements
- 17 of the North Carolina State Building Code: Residential Code, and Licensed Residential Care Facilities, if applicable,
- at the time of construction, alteration, modifications, and renovations.
- 19 (b) Each home shall be planned, constructed, equipped and maintained to provide the services offered in the home.
- 20 (c) A family care home shall not offer services for which the home was not planned, constructed, equipped, or
- 21 <u>maintained.</u>
- 22 (e)(d) Any existing A building converted from another use to a family care home shall meet all the requirements of a
- 23 new facility. Paragraph (a) of this Rule.
- 24 (d)Any existing licensed home when the license is terminated for more than 60 days shall meet all requirements of a
- 25 new home prior to being relicensed.
- 26 (e) Any existing A licensed home that plans to have new construction, remodeling or physical changes done to the
- 27 facility shall have drawings submitted by the owner or his appointed representative to the Division of Health Service
- 28 Regulation for review and approval prior to commencement of the work.
- 29 (f) If the building is two stories in height, it shall meet the following requirements:
- 30 (1) Each each floor shall be less than 2500 square feet in area if existing construction or, if new construction, shall not exceed the allowable area for Group R-4 occupancy in the North Carolina State Building Code; Codes;
- 33 (2) Aged aged or disabled persons are not to be housed on any floor above or below grade level;
- Required regulared resident facilities are not to be located on any floor above or below grade level; and
- 36 (4) A <u>a</u> complete fire alarm system with pull system meeting the requirements of the National Fire
 37 Protection Association 72, NFPA 72: National Fire Alarm and Signaling Code, which is hereby

1 incorporated by reference, including all subsequent amendments and editions. Copies of this code 2 may be obtained from the National Fire Protection Association online 3 accessed electronically free of charge http://www.nfpa.org/catalog/ or 4 https://www.nfpa.org/codes-and-standards/all-codes-and-standards/list-of-codes-and-5 standards/detail?code=72. For the purpose of this Rule, a "complete fire alarm system" is a system that consists of components and circuits arranged to monitor and annunciate the status of fire alarm 6 7 and supervisory signal-initiating devices and to initiate the appropriate response to those signals. Pull stations shall be installed on each floor at each exit. and sounding Sounding devices which that 8 9 are audible throughout the building shall be provided on each floor. The fire alarm system 10 shall be able to transmit an automatic signal to the local emergency fire department dispatch center, 11 either directly or through a central station monitoring company connection, center that is legally 12 committed to serving the area in which the facility is located. The alarm shall be transmitted either 13 directly to a fire department or through a third-party service that shall transmit the alarm to the fire 14 department. The method used to transmit the alarm shall be in accordance with local ordinances.

- (g) The basement and the attic shall not to be used for storage or sleeping.
- 16 (h) The ceiling height throughout the family care home shall be at least seven and one-half feet from the floor.
- (i) In homes licensed on or after April 1, 1984, all required resident areas shall be on the same floor level. Steps <u>and</u> ramps between levels are not permitted.
- 19 (j) The <u>following shall have</u> door width <u>widths</u> <u>shall be</u> a minimum of two feet and six inches in the kitchen, dining
 20 room, living rooms, bedrooms and bathrooms. inches:
- 21 (1) the kitchen;

15

23

- 22 (2) dining rooms;
 - (3) living rooms;
- 24 (4) bedrooms; and
- 25 (5) bathrooms.
- 26 (k) All windows that are operable shall be maintained operable.
- 27 (l) The local code enforcement official shall be consulted before starting any construction or renovations for information on required permits and construction requirements.
- 29 (m) The building shall meet sanitation requirements as determined by the North Carolina Department of Environment
- 30 and Natural Resources; Division of Environmental Health. Health and Human Services, Division of Public Health,
- 31 Environmental Health Section.
- (n) The home shall <u>maintain and</u> have <u>available for review</u> current sanitation and fire and building safety inspection
 reports which shall be <u>maintained</u> in the home and <u>available for review</u>, reports.
- 35 *History Note: Authority G.S. 131D-2.16; 143B-165;*
- 36 Eff. January 1, 1977;
- 37 Readopted Eff. October 31, 1977;

| 1 | Amended Eff. July 1, 1990; April 1, 1984; January 1, 1983; |
|---|--|
| 2 | Temporary Amendment Eff. September 1, 2003; |
| 3 | Amended Eff. July 1, 2005; June 1, 2004. <u>2004;</u> |
| 4 | Readonted Eff. February 1, 2025. |

1 10A NCAC 13G .0305 is amended as published in 39:06 NCR 282-316 as follows: 2 3 10A NCAC 13G .0305 LIVING ROOM 4 (a) Family care homes licensed on or after April 1, 1984 shall have a living room or area of at least a minimum of 5 200 square feet. 6 (b) All living rooms or areas shall have at least one operable windows window to meet meeting the North Carolina 7 State Building Code Codes to view outdoors, and be lighted to provide 30 foot candles foot-candles of light at floor 8 level. 9 10 Authority G.S. 131D-2.16; 143B-165; History Note: 11 Eff. January 1, 1977; 12 Readopted Eff. October 31, 1977; 13 Amended Eff. July 1, 2005; July 1, 1990; April 1, 1984; 14 Recodified from 10A NCAC 13G .0304 Eff. July 1, 2005; 15 Pursuant to G.S. 150B-21.3A, rule is necessary without substantive public interest Eff. February 16, 2019. 2019; 16

Amended Eff. February 1, 2025.

1 10A NCAC 13G .0306 is readopted as published in 39:06 NCR 282-316 as follows: 2 3 10A NCAC 13G .0306 **DINING ROOM OR DINING AREA** 4 (a) Family care homes licensed on or after April 1, 1984 shall have a dining room or dining area of at least a minimum 5 of 120 square feet. The dining room or dining area may be used for other activities during the day. 6 (b) When the dining area is used in combination with a kitchen, an area five feet wide in front of the kitchen, including 7 the sink, kitchen appliances, and any kitchen island used for food preparation, shall be allowed as-work space for the 8 kitchen, in front of the kitchen work areas. The work space shall not be used as calculations for the required minimum 9 the dining area. 10 (c) The dining room or dining area shall have at least one operable windows window meeting the North Carolina State 11 Building Codes to view the outdoors, or a door unit with a vision panel directly to the outside. The dining room or dining area shall and be lighted to provide 30 foot candles foot-candles of light at floor level. 12 13 14 Authority G.S. 131D-2.16; 143B-165; History Note: 15 Eff. January 1, 1977; Readopted Eff. October 31, 1977; 16 17 Amended Eff. July 1, 2005; July 1, 1990; April 1, 1984; 18 Recodified from 10A NCAC 13G .0305 Eff. July 1, 2005. 2005:

Readopted Eff. February 1, 2025.

1 10A NCAC 13G .0307 is readopted as published in 39:06 NCR 282-316 as follows: 2 3 10A NCAC 13G .0307 **KITCHEN** 4 (a) The kitchen in a family care home shall be large enough to provide for the preparation and preservation of food 5 and the washing of dishes. 6 (b) The cooking unit shall be mechanically ventilated to the outside or be an unvented, recirculating fan provided 7 with any special filter per the type of filter required by manufacturers' instructions for ventless use. 8 (c) The kitchen floor shall have a non-slippery water-resistant covering. 9 10 Authority G.S. 131D-2.16; 143B-165; History Note: 11 Eff. January 1, 1977; 12 Amended Eff. April 22, 1977; 13 Readopted Eff. October 31, 1977; 14 Amended Eff. July 1, 2005; April 1, 1984;

Recodified from 10A NCAC 13G .0306 Eff. July 1, 2005. 2005:

Readopted Eff. February 1, 2025.

15

10A NCAC 13G .0308 is amended as published in 39:06 NCR 282-316 as follows:

1 2 3

10A NCAC 13G .0308 BEDROOMS

- 4 (a) There shall be bedrooms sufficient in number and size to meet the individual needs according to age and sex of
- 5 the residents, the administrator or supervisor-in-charge, other live-in staff staff, and any other persons living in a
- family care home. Residents are shall not to share bedrooms with staff or other live-in non-residents.
- 7 (b) Only rooms authorized by the Division of Health Service Regulation as bedrooms shall be used for bedrooms.
- 8 (c) A room where access is through a bathroom, kitchen kitchen, or another bedroom shall not be approved for a
- 9 resident's bedroom.
- 10 (d) There shall be a minimum area of 100 square feet, excluding vestibule, closet or wardrobe space, in rooms
- 11 occupied by one person and a minimum area of 80 square feet per bed, excluding vestibule, closet or wardrobe space,
- 12 in rooms occupied by two persons. Private resident bedrooms shall provide not less than 100 square feet of net floor
- 13 area excluding vestibules, closets, or wardrobes. For the purpose of this Rule, net floor area is the actual occupiable
- 14 <u>area not including unoccupied accessory areas such as vestibules, closets, wardrobes, and bathrooms.</u>
- 15 (e) Semi-private resident bedrooms shall provide not less than 80 square feet of net floor area per bed excluding
- 16 vestibules, closets, or wardrobes. For the purpose of this Rule, net floor area is the actual occupiable area not including
- 17 <u>unoccupied accessory areas such as vestibules, closets, wardrobes, and bathrooms.</u>
- 18 (e)(f) The total number of residents assigned to a bedroom shall not exceed the number authorized by the Division of
- 19 Health Service Regulation for that particular bedroom.
- 20 $\frac{f}{g}$ A bedroom shall not be occupied by more than two residents.
- 21 (g)(h) Each A resident bedroom must shall have one or more operable windows meeting the requirements of the North
- 22 <u>Carolina State Building Codes for emergency egress,</u> and be lighted to provide 30 foot candles foot-candles of light
- 23 at floor level. The window area shall be equivalent to at least not be less than eight percent of the floor space, space,
- 24 and be equipped with insect-proof screens. The windows Windows in resident bedrooms shall have a maximum of 44
- 25 inch sill height.
- 26 (h)(i) Bedroom closets or wardrobes shall be large enough to provide each resident with a minimum of 48 cubic feet
- 27 of clothing storage space (approximately two feet deep by three feet wide by eight feet high) of which at least one-
- 28 half shall be for hanging clothes with an adjustable height hanging bar. A resident bedroom shall provide one closet
- 29 or wardrobe per resident. Closets or wardrobes shall have clothing storage space of not less than 48 cubic feet per bed,
- 30 approximately two feet deep by three feet wide by eight feet high, of which one-half of this space shall be for hanging
- 31 with an adjustable height hanging bar.

- 33 History Note: Authority G.S. 131D-2.16; 143B-165;
- 34 *Eff. January 1, 1977;*
- 35 Readopted Eff. October 31, 1977;
- 36 Amended Eff. July 1, 2005; July 1, 1990; April 1, 1984;
- 37 Recodified from 10A NCAC 13G .0307 Eff. July 1, 2005;

| 1 | Pursuant to G.S. 150B-21.3A, rule is necessary without substantive public interest Eff. February |
|---|--|
| 2 | 16, 2019. <u>2019;</u> |
| 3 | Amended Eff. February 1, 2025. |

10A NCAC 13G .0309 is readopted with changes as published in 39:06 NCR 282-316 as follows:

10A NCAC 13G .0309 BATHROOM

- (a) Adult Family care homes licensed on or after April 1, 1984, shall have one full bathroom for each five or fewer persons, including live-in staff and family. staff. For the purpose of this rule, a full bathroom is a room containing a sink, water closet (commode), and a bathtub, shower, spa tub, or similar bathing fixture.
- (b) The bathrooms shall be designed to provide privacy. A bathroom <u>Bathrooms</u> with two or more water closets (commodes) shall have privacy partitions or curtains for each water closet. <u>Each tub or shower Bathtubs</u>, showers, spas, or similar bathing fixtures shall have privacy partitions or curtains. <u>The requirements of this Paragraph shall apply to new and existing facilities.</u>
- (c) Entrance Entrances to the bathroom bathrooms shall not be through a kitchen, another person's bedroom, or another bathroom.
- (d) The required Required residents' bathrooms shall be located so that there is no more than 40 feet from any residents' a resident's bedroom door to a resident use bathroom door.
- (e) Hand grips shall be installed at all commodes, tubs and showers used by the residents. Water closets (commodes), bathtubs, showers, spas, and similar bathing fixtures shall have hand grips meeting the following requirements:
 - (1) be mechanically fastened or anchored to the walls;
 - (2) be located to assist in entering and exiting bathtubs, showers, spas, or similar bathing fixtures; and
 - (3) be within reach of water closets (commodes).
- (f) Nonskid surfacing or strips must be installed in showers and bath areas. bathtubs, showers, spas, and similar bathing fixtures.
- (g) The bathrooms Bathrooms shall meet the following requirements:
 - (1) be lighted to provide 30 foot candles foot-candles of light at floor level and have level;
 - (2) have mechanical ventilation at the rate of two cubic feet per minute for each square foot of floor area. an exhaust system per the North Carolina State Building Code: Residential Code. These Exhaust vents shall vent directly to the outdoors. outdoors; and
 - (3) <u>have floors [be] that are water-resistant and slip-resistant.</u>
- (h) The bathroom floor shall have a non-slippery water resistant covering.

```
History Note: Authority G.S. 131D-2.16; 143B-165;

Eff. January 1, 1977;

Readopted Eff. October 31, 1977;

Amended Eff. July 1, 2005; July 1, 1990; April 1, 1984;

Recodified from 10A NCAC 13G .0308 Eff. July 1, 2005. 2005;

Readopted Eff. February 1, 2025.
```

10A NCAC 13G .0312 is readopted as published in 39:06 NCR 282-316 as follows:

1 2 3

10A NCAC 13G .0312 OUTSIDE ENTRANCE AND EXITS

- 4 (a) In family care homes, all floor levels shall have at least two exits. If there are only two, the exit or exit access
- 5 doors shall be so located and constructed to minimize the possibility that both may be blocked by any one fire or other
- 6 emergency condition. outside entrances/exits that are so located and constructed to minimize the possibility that both
- 7 outside entrances/exits from the home may be blocked by a fire or other emergency condition. Exiting through another
- 8 resident's bedroom is not permitted.
- 9 (b) At least one outside entrance/exit door shall be a minimum width of three feet and another shall be a minimum
- width of two feet and eight inches.
- 11 (c) At least one principal outside entrance/exit for the residents' use shall be at grade level or accessible by ramp with
- 12 a one inch rise for each 12 inches of length of the ramp. For the purposes of this Rule, a principal outside entrance/exit
- is one that is most often used by residents for vehicular access. If the home has any a resident that must have physical
- assistance with evacuation, the home shall have two outside entrances/exits at grade level or accessible by a ramp.
- 15 (d) All exit outside entrance/exit door locks shall be easily operable, operable by a single hand motion, motion from
- the inside at all times without keys. keys, tools, or special knowledge. Existing deadbolts or deadbolts and turn buttons
- on the inside of exit doors outside entrances/exit doors, including screen and storm doors, shall be removed or disabled.
- 18 (e) All <u>outside</u> entrances/exits shall be free of all obstructions or impediments to allow for full instant use in case of
- 19 fire or other emergency.
- 20 (f) All steps, steps, porches, stoops stoops, and ramps shall be provided with have handrails and guardrails. guards.
- 21 Handrails shall be on both sides of steps and ramps, including sides bordered by the facility wall. Handrails shall
- 22 extend the full length of steps and ramps. Guards shall be on open sides of steps, porches, stoops, and ramps. For the
- 23 purposes of this Rule, guards are building components, or a system of building components located at or near the open
- 24 sides of elevated walking surfaces that minimizes the possibility of a fall from a walking surface to an adjacent change
- 25 <u>in elevation.</u>
- 26 (g) In homes with at least one resident who is determined by a physician or is otherwise known to be disoriented or a
- 27 wanderer, each exit door for resident use disoriented or exhibiting wandering behavior, all outside entrance/exit doors
- 28 shall be equipped with have a continuously sounding device that is activated when the door is opened. The sound
- shall be of sufficient of such volume that it can be heard by staff. If a central system of remote sounding devices is
- provided, the control panel for the system shall be <u>powered by the facility's electrical system</u>, and be located in the
- 31 bedroom of the person on call, the office area or in a location an area accessible only to staff authorized by the
- 32 administrator to operate the control panel, to staff. The requirements of this Paragraph shall apply to new and existing
- 33 <u>facilities.</u>

- 35 *History Note: Authority G.S. 131D-2.16; 143B-165;*
- 36 Eff. January 1, 1977;
- 37 Readopted Eff. October 31, 1977;

| 1 | Amended Eff. July 1, 2005; April 1, 1987; July 1, 1984; April 1, 1984, |
|---|--|
| 2 | Recodified from 10A NCAC 13G .0311 Eff. July 1, 2005. <u>2005</u> ; |
| 3 | Readopted Eff. February 1, 2025. |

| 1 | 10A NCAC 130 | G .0313 is amended as published in 39:06 NCR 282-316 as follows: | |
|----|---|--|--|
| 2 | | | |
| 3 | 10A NCAC 13 | G .0313 LAUNDRY EQUIPMENT | |
| 4 | The laundry equ | uipment in a family care home shall be located out of the living, dining, and bedroom areas. | |
| 5 | (a) Laundry eq | uipment shall be in family care homes. | |
| 6 | (b) Laundry ed | quipment shall be in a dedicated room or enclosure, and shall be located out of living rooms, dining | |
| 7 | rooms, dining areas, bathrooms, and bedrooms. | | |
| 8 | (c) Laundry equipment shall be on the same floor level as required residents' facilities. | | |
| 9 | (d) Laundry eq | uipment shall be accessible to all residents. | |
| 10 | | | |
| 11 | History Note: | Authority G.S. 131D-2.16; 143B-165; | |
| 12 | | Eff. January 1, 1977; | |
| 13 | | Readopted Eff. October 31, 1977; | |
| 14 | | Amended Eff. July 1, 2005; April 1, 1984; | |
| 15 | | Recodified from 10A NCAC 13G .0312 Eff. July 1, 2005; | |
| 16 | | Pursuant to G.S. 150B-21.3A, rule is necessary without substantive public interest Eff. February | |
| 17 | | 16, 2019. <u>2019;</u> | |
| 18 | | Amended Eff. February 1, 2025. | |

| 1 | 10A NCAC 13C | 6.0315 is readopted as published in 39:06 NCR 282-316 as follows: | |
|----|-----------------|---|--|
| 2 | | | |
| 3 | 10A NCAC 130 | G .0315 HOUSEKEEPING AND FURNISHINGS | |
| 4 | (a) Each A fam | nily care home shall: | |
| 5 | (1) | have walls, ceilings, and floors or floor coverings kept clean and in good repair; | |
| 6 | (2) | have no ehronic unpleasant odors; odors that are considered by the residents to be chronic and | |
| 7 | | unpleasant; | |
| 8 | (3) | have furniture elean and in good repair; that is clean, safe, and functional. | |
| 9 | (4) | have a North Carolina Division of Environmental Health Department of Health and Human | |
| 10 | | Services, Division of Public Health, Environmental Health Section approved sanitation | |
| 11 | | classification at all times; times, which is incorporated by reference including all subsequent | |
| 12 | | amendments. The "Rules Governing the Sanitation of Residential Care Facilities", 15A NCAC 18A | |
| 13 | | .1600, may be accessed electronically free of charge at http://ehs.dph.ncddhs.gov/rules.htm; | |
| 14 | (5) | be maintained in an uncluttered, elean clean, and orderly manner, free of all obstructions and | |
| 15 | | hazards; | |
| 16 | (6) | have a supply on hand at all times of bath soap, clean towels, washcloths, sheets, pillowcases, | |
| 17 | | blankets, and additional coverings adequate covers for resident use on hand at all times; use: | |
| 18 | (7) | make available the following items as needed through any means other than charge to the personal | |
| 19 | | funds of recipients of State-County Special Assistance: | |
| 20 | | (A) protective sheets mattress covers, and clean, absorbent, soft soft, and smooth mattress | |
| 21 | | pads; | |
| 22 | | (B) bedpans, urinals, hot water bottles, and ice caps; bedpans and urinals; and | |
| 23 | | (C) bedside commodes, walkers, and wheelchairs. | |
| 24 | (8) | have one television and one radio radio, each in good working order; | |
| 25 | (9) | have curtains, draperies draperies, or blinds at windows in resident use areas to provide for resident | |
| 26 | | privacy; | |
| 27 | (10) | have recreational equipment, supplies for games, books, magazines magazines, and a current week | |
| 28 | | newspaper available for residents; | |
| 29 | (11) | have a clock that has numbers at least 1½ inches tall in an area commonly used by the residents; the | |
| 30 | | living room or in the dining room or dining room area; and | |
| 31 | (12) | have at least one telephone that does not depend on require electricity or cellular service to operate. | |
| 32 | (b) Each bedroo | om shall have the following furnishings in good repair and clean for each resident: | |
| 33 | (1) | A bed equipped with box springs and mattress or solid link springs and no-sag innerspring or foam | |
| 34 | | mattress. Hospital bed appropriately equipped with all accessories required for use shall be arranged | |
| 35 | | for as needed. A water bed is allowed if requested by a resident and permitted by the home. facility. | |
| 36 | | Each bed is to have the following: | |
| 37 | | (A) at least one pillow with <u>a</u> clean pillow case; | |

| 1 | | (B) <u>a clean top and bottom sheets sheet</u> on the bed, with bed changed as often as necessary but | | | | |
|----|--|--|--|--|--|--|
| 2 | | at least once a week; and week and when soiled; and | | | | |
| 3 | | (C) <u>a</u> clean bedspread and other clean coverings as needed. | | | | |
| 4 | (2) | a bedside type table; | | | | |
| 5 | (3) | chest of drawers or bureau when not provided as built-ins, or a double chest of drawers or double | | | | |
| 6 | | dresser for two residents; | | | | |
| 7 | (4) | a wall or dresser mirror that ean may be used by each | | | | |
| 8 | (5) | a minimum of one comfortable chair (rocker or straight, arm or without arms, as preferred by | | | | |
| 9 | | resident), high enough from floor for easy rising; chair that is comfortable as preferred by the | | | | |
| 10 | | resident, which may include a rocking or straight chair, with or without arms, that is high enough | | | | |
| 11 | | for the resident to easily rise without discomfort; | | | | |
| 12 | (6) | additional chairs available, as needed, for use by visitors; | | | | |
| 13 | (7) | individual clean towel, wash cloth, and towel bar within bedroom or adjoining bathroom; and | | | | |
| 14 | (8) | a light overhead of bed with a switch within reach of that may be reached by a person lying on the | | | | |
| 15 | | bed; or a lamp. The light shall provide a minimum of 30 foot-candle power of illumination for | | | | |
| 16 | | reading. | | | | |
| 17 | (c) The living room shall have functional living room furnishings for the comfort of aged and disabled persons, that | | | | | |
| 18 | are in good wor | king order and provide comfort as preferred by residents with coverings that are easily cleanable. | | | | |
| 19 | (d) The dining | room shall have the following furnishings: | | | | |
| 20 | (1) | tables and chairs to seat all residents eating in the dining room; and | | | | |
| 21 | (2) | chairs that are sturdy, non-folding, without rollers unless retractable or on front legs only, and | | | | |
| 22 | | designed to minimize tilting. | | | | |
| 23 | (e) This Rule sl | nall apply to new and existing homes. | | | | |
| 24 | | | | | | |
| 25 | History Note: | Authority G.S. 131D-2.16; 143B-165; | | | | |
| 26 | | Eff. January 1, 1977; | | | | |
| 27 | | Readopted Eff. October 31, 1977; | | | | |
| 28 | | Amended Eff. July 1, 2005; September 1, 1987; April 1, 1987; April 1, 1984; | | | | |
| 29 | | Recodified from 10A NCAC 13G .0314 Eff. July 1, 2005. 2005; | | | | |
| 30 | | Readopted Eff. February 1, 2025. | | | | |
| 31 | | | | | | |

10A NCAC 13G .0316 is amended as published in 39:06 NCR 282-316 as follows:

1 2 3

7

10A NCAC 13G .0316 FIRE SAFETY AND DISASTER <u>EMERGENCY PREPAREDNESS</u> PLAN

- 4 (a) Fire extinguishers shall be provided which meet these minimum requirements in a family care home:
- one five pound or larger (net charge) "A-B-C" type centrally located; <u>located in an area that can be</u> accessed by staff and not stored in rooms with doors or the kitchen;
 - (2) one five pound or larger "A-B-C" or CO/2 type located in the kitchen; and
- 8 (3) any other location as determined by the <u>local fire</u> code enforcement official.
- 9 (b) The building shall be provided with smoke detectors as required by the North Carolina State Building Code and
 10 U.L. listed heat detectors connected to a dedicated sounding device located in the attic and basement. These detectors
 11 shall be interconnected and be provided with battery backup. The facility shall be provided with smoke detectors in
 12 locations as required by the North Carolina State Building Code: Residential Code and Licensed Residential Care
 13 Facilities, if applicable. All smoke detectors in the facility shall be hard-wired, interconnected, and provided with
- Facilities, if applicable. All smoke detectors in the facility shall be hard-wired, interconnected, and provided with battery backup.
- 15 (c) Underwriters Laboratories, Incorporated (U.L.) listed heat detectors shall be installed in all attic spaces and in the
- 16 <u>basement of the facility. Heat detectors shall be hard-wired, interconnected, and connected to a dedicated sounding</u>
- 17 device located inside the living area of the facility. Heat detectors shall be of the rate of rise type as not to create
- 18 <u>nuisance alarms and be provided with battery backup.</u>
- 19 (c)(d) Any All fire safety requirements required by city ordinances or county building inspectors shall be met.
- 20 (d)(e) A The facility shall have a written fire evacuation plan plan. (including a diagrammed drawing) For the purpose
- 21 of this rule, a written fire evacuation plan is a written document that details the procedures and steps that facility
- 22 occupants shall follow in a fire or other emergency to ensure safe evacuation while minimizing the risk of injury or
- 23 loss of life. The written fire evacuation plan shall include a diagram of the facility floor plan which clearly marks all
- 24 <u>emergency egress and escape routes from the facility. The plan shall have which has</u> the approval of the local <u>fire</u> code
- 25 enforcement official. The approved diagram shall be prepared in large legible print and be posted in a central
- 26 location on each floor. on every floor of the facility in a location visible to staff, residents, and visitors. The fire
- 27 evacuation plan and diagram shall be reviewed with each resident on upon admission and shall be a part of included
- 28 <u>in</u> the orientation for all new staff.
- 29 (e)(f) There shall be at least four rehearsals unannounced fire drills of the fire evacuation plan each year. every year
- 30 on each shift. For the purpose of this Rule, a fire drill is the method of practicing how occupants of the facility shall
- 31 evacuate in the event of a fire or other emergency. Records of rehearsals Documentation of the fire drills shall be
- 32 maintained by the administrator or their designee in the facility and copies furnished to the county department of social
- 33 services annually. be made available upon request to the Division of Health Service Regulation, county department of
- 34 social services, and the local fire code enforcement official. The records documentation shall include the date and time
- of the rehearsals, fire drill, the shift, the names of staff members present, and a short description of what the rehearsal
- 36 involved. drill.

| 1 | (f)(g) A writter | disaster plan which has the written approval of, or has been documented as submitted to, the local | | |
|----|---|--|--|--|
| 2 | emergency man | agement agency and the local agency designated to coordinate special needs sheltering during | | |
| 3 | disasters, shall be prepared and updated at least annually and shall be maintained in the home. This written disaster | | | |
| 4 | plan requiremen | t shall apply to new and existing homes. Each facility shall develop and implement an emergency | | |
| 5 | preparedness pla | in to ensure resident health and safety and continuity of care and services during an emergency. The | | |
| 6 | emergency prep | aredness plan shall include the following: | | |
| 7 | <u>(1)</u> | Procedures to address the following threats and hazards that may create an emergency for the | | |
| 8 | | facility: | | |
| 9 | | (A) weather events including hurricanes, tornadoes, ice storms, and extreme heat or cold; | | |
| 10 | | (B) fires; | | |
| 11 | | (C) utility failures, to include power, water, and gas; | | |
| 12 | | (D) equipment failures, to include fire alarm, automatic sprinkler systems, HVAC systems; | | |
| 13 | | (E) interruptions in communication including phone service and the internet; | | |
| 14 | | (F) unforeseen widespread communicable public health and emerging infectious diseases; | | |
| 15 | | (G) intruders and active assailants; and | | |
| 16 | | (H) other potential threats to the health and safety of residents as identified by the facility or | | |
| 17 | | the local emergency management agency. | | |
| 18 | (2) | The procedures outlined in Subparagraph (g)(1) shall address the following: | | |
| 19 | | (A) provisions for the care of all residents in the facility before, during, and after an emergency | | |
| 20 | | such as required emergency supplies including water, food, resident care items, medical | | |
| 21 | | supplies, medical records, medications, medication records, emergency power, and | | |
| 22 | | emergency equipment; | | |
| 23 | | (B) provisions for the care of all residents when evacuated from the facility during an | | |
| 24 | | emergency, such as evacuation procedures, procedures for the identification of residents, | | |
| 25 | | evacuation transportation arrangements, and sheltering options that are safe and suitable | | |
| 26 | | for the resident population served; | | |
| 27 | | (C) identification of residents with Alzheimer's disease and related dementias, residents with | | |
| 28 | | mobility limitations, and any other residents who may have specialized needs such as | | |
| 29 | | dialysis, oxygen, tracheostomy, and gastrostomy feeding tubes, special medical equipment, | | |
| 30 | | or accommodations either at the facility or in case of evacuation; | | |
| 31 | | (D) strategies for staffing to meet the needs of the residents during an emergency and for | | |
| 32 | | addressing potential staffing issues; | | |
| 33 | | (E) Procedures for coordinating and communicating with the local emergency management | | |
| 34 | | agency and local law enforcement; | | |
| 35 | (3) | The emergency preparedness plan shall include contact information for state and local resources for | | |
| 36 | | emergency response, local law enforcement, facility staff, residents and responsible parties, vendors, | | |

1 contractors, utility companies, and local building officials such as the fire marshal and local health 2 department. 3 (h) The facility's emergency preparedness plan shall have the written approval of or documentation that the plan has 4 been submitted to the local emergency management agency and the local agency designated to coordinate and plan 5 for the provision of access to functional needs support services in shelters during disasters. 6 (i) The facility's emergency preparedness plan shall be reviewed at least annually and updated as needed by the 7 administrator and shall be submitted to the local emergency management agency and the local agency designated to 8 coordinate and plan for the provision of access to functional needs support services in shelters during disasters. Any 9 changes to the plan shall be submitted to the local emergency management agency and the local agency designated to 10 coordinate and plan for the provision of access to functional needs support services in shelters during disasters within 11 60 days of the change. For the purpose of this Rule, correction of grammatical or spelling errors do not constitute a 12 change. Documentation of submissions shall be maintained at the facility and made available for review upon request 13 to the Division of Health Service Regulation and county department of social services. 14 (j) The emergency preparedness plan outlined in Paragraph (g) of this Rule shall be maintained in the facility and 15 accessible to staff working in the facility. 16 (k) Newly licensed facilities and facilities that have changed ownership shall submit an emergency preparedness plan 17 to the local emergency management agency and the local agency designated to coordinate and plan for the provision 18 of access to functional needs support services in shelters during disasters within 30 days after obtaining the new 19 license. Documentation of submissions shall be maintained at the facility and made available for review upon request 20 to the Division of Health Service Regulation and county department of social services. 21 (1) The facility's emergency preparedness plan shall be made available upon request to the Division of Health Service 22 Regulation, county department of social services, and emergency management officials. 23 (m) The administrator shall ensure staff are trained on their roles and responsibilities related to emergencies in 24 accordance with the facility's emergency preparedness plan as outlined in Paragraph (g) of this Rule. Staff shall be 25 trained upon employment and annually in accordance with Rule .1211 of this Subchapter. 26 (n) The facility shall conduct at least one drill per year to test the facility's emergency preparedness plan. The drill 27 may be conducted as a tabletop exercise. The facility shall maintain documentation of the annual drill which shall be 28 made available upon request to the Division of Health Service Regulation, county department of social services, and 29 emergency management officials. 30 (o) If the facility evacuates residents for any reason, the administrator or their designee shall report the evacuation to 31 the local emergency management agency, the local county department of social services, and the Division of Health Service Regulation Adult Care Licensure Section within four hours or as soon as practicable of the decision to 32 33 evacuate, and shall notify the agencies within four hours of the return of residents to the facility. 34 (p) Any damage to the facility or building systems that disrupts the normal care and services provided to residents

shall be reported to the Division of Health Service Regulation Construction Section within four hours or as soon as

35

36

practicable of the incidence occurring.

1 (q) If a facility is ordered to evacuate residents by the local emergency management or public health official due to 2 an emergency, the facility shall not re-occupy the building until local building or public health officials have given 3 approval to do so. 4 (r) In accordance with G.S. 131D-7, if a facility intends to shelter residents from an evacuating adult care home or 5 desires to temporarily increase the facility's licensed bed capacity, the facility shall request a waiver from the Division 6 of Health Service Regulation prior to accepting the additional residents into the facility or as soon as practicable but 7 no later than 48 hours after the facility has accepted the residents for sheltering. The waiver request form can be found 8 on the Division of Health Service Regulation Adult Care Licensure Section website at 9 https://info.ncdhhs.gov/dhsr/acls/acforms.html#resident. 10 (s) If a facility evacuates residents to a public emergency shelter, the facility remains responsible for the care, supervision, and safety of each resident, including providing required staffing and supplies in accordance with the 11 12 Rules of this Subchapter. Evacuation to a public emergency shelter should be a last resort, and the decision shall be 13 made in consultation with the local emergency management agency, or the local agency designated to coordinate and 14 plan for the provision of access to functional needs support services in shelters during disasters. If a facility evacuates 15 residents to a public emergency shelter, the facility shall notify the Division of Health Service Regulation Adult Care 16 Licensure Section and the county department of social services within four hours of the decision to evacuate or as 17 soon as practicable. 18 (t) Where a fire alarm or automatic sprinkler system is out of service, the facility shall immediately notify the fire 19 department, the fire marshal, and the Division of Health Service Regulation Construction Section and, where required 20 by the fire marshal, a fire watch shall be conducted until the impaired system has been returned to service as approved 21 by the fire marshal. The facility will adhere to the instructions provided by the fire marshal related to the duties of 22 staff performing the fire watch. The facility will maintain documentation of fire watch activities which shall be made 23 available upon request to the DHSR Construction Section and fire marshal. The facility shall notify the DHSR Construction Section when the facility is no longer conducting a fire watch as directed by the fire marshal. 24 25 (u) This Rule shall apply to new and existing facilities. 26 27 History Note: Authority G.S. 131D-2.16; 131D-7; 143B-165; 28 Eff. January 1, 1977; 29 Amended Eff. April 22, 1977; 30 Readopted Eff. October 31, 1977; 31 Amended Eff. July 1, 2005; July 1, 1990; April 1, 1987; April 1, 1984;

353637

32

33

34

Pursuant to G.S. 150B-21.3A, rule is necessary without substantive public interest Eff. February

Recodified from 10A NCAC 13G .0315 Eff. July 1, 2005;

16, 2019. 2019;

Amended Eff. May 1, 2025.

10A NCAC 13G .0317 is readopted as published in 39:06 NCR 282-316 as follows:

1 2 3

10A NCAC 13G .0317 BUILDING SERVICE EQUIPMENT

- 4 (a) The building and all fire safety, electrical, mechanical, and plumbing equipment in a family care home shall be
- 5 maintained in a safe and operating condition.
- 6 (b) There shall be a central heating system sufficient to maintain 75 degrees F (24 degrees C) under winter design
- 7 conditions. Built-in electric heaters, if used, shall be installed or protected so as to avoid hazards to residents and
- 8 room furnishings. Unvented fuel burning room heaters and portable electric heaters are prohibited.
- 9 (c) Air conditioning or at least one fan per resident bedroom and living room and dining areas shall be provided when
- the temperature in the main center corridor exceeds 80 degrees F (26.7 degrees C). The facility shall have heating and
- 11 cooling systems such that environmental temperature controls are capable of maintaining temperatures in the home at
- 12 75 degrees F minimum in the heating season, and not exceed 80 degrees F during the non-heating season.
- 13 (d) The hot Hot water tank shall be of such size to provide an adequate supply of hot water supplied to the kitchen,
- bathrooms, and laundry. The hot water temperature at all fixtures used by residents shall be maintained at maintain a
- minimum of 100 degrees F (38 degrees C) and shall not exceed 116 degrees F (46.7 degrees C). degrees F at all
- 16 <u>fixtures used by or accessible to residents. This requirements of this Paragraph shall apply to new and existing</u>
- 17 <u>facilities.</u>
- 18 (e) All resident areas shall be well lighted for the safety and comfort of the residents. The minimum lighting required
- 19 is:

- 20 (1) 30 foot candle power foot-candles for reading; reading; and
- 21 (2) 10 foot candle power foot-candles for general lighting; and lighting.
- 22 (3) 1 foot candle power at the floor for corridors at night.
- 23 (f) Where the bedroom of the live in staff is located in a separate area from residents' bedrooms, an electrically
- 24 operated call system shall be provided connecting each resident bedroom to the live in staff bedroom. The resident
- 25 call system activator shall be such that it can be activated with a single action and remain on until deactivated by staff.
- 26 The call system activator shall be within reach of resident lying on his bed.
- Where there is live-in staff in a family care home, a hard-wired, electrically operated call system meeting the following
- 28 <u>requirements shall be provided:</u>
 - (1) the call system shall connect residents' bedrooms to the live-in staff bedroom;
- 30 (2) when activated, the resident call shall activate a visual and audible signal in the live-in staff
- 31 <u>bedroom;</u>
- 32 (3) a resident call system activator shall be in residents' bedrooms at the resident's bed;
- 33 (4) the resident call system activator shall be within reach of a resident lying on the bed; and
- 34 (5) the resident call system activator shall be such that it can be activated with a single action and remain
 35 on until deactivated by staff at point of origin.
- 36 (g) Fireplaces, fireplace inserts inserts, and wood stoves shall be designed or and installed so as to avoid a burn
- hazard to residents. Fireplace inserts and wood stoves must be U.L. listed.

- 1 (h) Gas logs may be installed if they are of the vented type, installed according to the manufacturers' installation
 2 instructions, approved through the local building department department, and protected by a guard or screen to prevent
 3 residents and furnishings from burns.
- 4 (i) Alternate methods, procedures, design criteria and functional variations from the requirements of this Rule or other
- 5 rules in this Section because of extraordinary circumstances, new programs or unusual conditions, shall be approved
- 6 by the Division when the facility can effectively demonstrate to the Division's satisfaction that the intent of the
- 7 requirements are met and that the variation does not reduce the safety or operational effectiveness of the facility.
- 8 (i) This Rule shall apply to new and existing family care homes.

- 10 History Note: Authority G.S. 131D-2.16; 143B-165;
 11 Eff. January 1, 1977;
- 2)J. vanuary 1, 1777,
- 12 Readopted Eff. October 31, 1977;
- 13 Amended Eff. April 1, 1987; April 1, 1984; July 1, 1982;
- 14 Temporary Amendment Eff. December 1, 1999;
- 15 Amended Eff. July 1, 2005; July 1, 2000;
- 16 Recodified from 10A NCAC 13G .0316 Eff. July 1, 2005. <u>2005:</u>
- 17 <u>Readopted Eff. February 1, 2025.</u>

| 1 | 10A NCAC 13G | .0318 is readopted as published in 39:06 NCR 282-316 as follows: | | |
|----|--|--|--|--|
| 2 | | | | |
| 3 | 10A NCAC 13C | G.0318 OUTSIDE PREMISES | | |
| 4 | (a) The outside | grounds of new and existing family care homes shall be maintained in a clean and safe condition. | | |
| 5 | Creeks, ditches, | ponds, pools, and other similar areas shall have safety protection. | | |
| 6 | (b) If the home has a fence around the premises, the fence shall not prevent residents from exiting or entering freely | | | |
| 7 | freely, or be hazardous have sharp edges, rusting posts, or other similar conditions that may cause injury. | | | |
| 8 | (c) Outdoor stairways and ramps shall be illuminated by no less than five foot candles foot-candles of light at grade | | | |
| 9 | level. | | | |
| 10 | (d) The requirer | nents of Paragraphs (a) and (b) shall apply to new and existing facilities. | | |
| 11 | | | | |
| 12 | History Note: | Authority G.S. 131D-2.16; 143B-165; | | |
| 13 | | Eff. April 1, 1984; | | |
| 14 | | Amended Eff. July 1, 2005; July 1, 1990; | | |
| 15 | | Recodified from 10A NCAC 13G .0317 Eff. July 1, 2005. <u>2005</u> ; | | |
| 16 | | Readopted Eff. February 1, 2025. | | |

1 10A NCAC 13G .0801 is readopted as published in 39:06 NCR 282-316 as follows: 2 3 SECTION .0800 - RESIDENT ASSESSMENT AND CARE PLAN 4 5 10A NCAC 13G .0801 RESIDENT ASSESSMENT 6 (a) A family care home shall assure that an initial assessment of each resident is completed within 72 hours of 7 admission using the Resident Register. 8 (b)(a) The facility shall assure complete an assessment of each resident is completed within 30 days following 9 admission and at least annually thereafter thereafter, using an assessment instrument established by the Department 10 or an instrument approved by the Department based on it containing at least the same information as required on the established instrument. The assessment to be completed within 30 days following admission and annually thereafter 11 shall be a functional assessment to determine a resident's level of functioning to include psychosocial well being, 12 13 cognitive status and physical functioning in activities of daily living. Activities of daily living are bathing, dressing, 14 personal hygiene, ambulation or locomotion, transferring, toileting and eating. The assessment shall indicate if the 15 resident requires referral to the resident's physician or other licensed health care professional, provider of mental health, developmental disabilities or substance abuse services or community resource. 16 17 (b) The facility shall use the assessment instrument and instructional manual established by the Department or an 18 instrument developed by the facility that contains at least the same information as required on the instrument 19 established by the Department. The assessment shall be completed in accordance with Rule .0508 of this Subchapter. 20 If the facility develops its own assessment instrument, the facility shall ensure that the individual responsible for 21 completing the resident assessment has completed training on how to conduct the assessment using the facility's 22 assessment instrument. The assessment shall be a functional assessment to determine the resident's level of functioning 23 to include psychosocial well-being, cognitive status, and physical functioning in activities of daily living. Activities 24 of daily living are bathing, dressing, personal hygiene, ambulation or locomotion, transferring, toileting, and eating. 25 The assessment instrument established by the Department shall include the following: 26 (1) resident identification and demographic information; 27 (2) current diagnoses; 28 (3) current medications; 29 **(4)** the resident's ability to self-administer medications; 30 (5) the resident's ability to perform activities of daily living, including bathing, dressing, personal hygiene, ambulation or locomotion, transferring, toileting, and eating; 31 32 mental health history; (6) 33 (7) social history; 34 (8) mood and behaviors; 35 (9) nutritional status, including specialized diet or dietary needs; (10)36 skin integrity; 37 (11)memory, orientation and cognition;

| 1 | (12) | vision a | and hearing: |
|----|--------------------|-----------------------|--|
| 2 | (13) | speech | and communication; |
| 3 | <u>(14)</u> | assistiv | e devices needed; and |
| 4 | (15) | a list of | and contact information for health care providers or services used by the resident. |
| 5 | The assessment | instrume | nt established by the Department is available on the Division of Health Service Regulation |
| 6 | website at ht | ttps://poli | cies.ncdhhs.gov/divisional/health-benefits-nc-medicaid/forms/dma-3050r-adult-care-home- |
| 7 | personal-care-pl | nysician/(| @@display-file/form_file/dma-3050R.pdf.pdf at no cost. |
| 8 | (c) When a facil | ity identi | fies a change in a resident's baseline condition based upon the factors listed in Subparagraph |
| 9 | (1)(A) through (| M) of thi | is Paragraph, the facility shall monitor the resident's condition for no more than 10 days to |
| 10 | determine if a si | gnificant | change in the resident's condition has occurred. For the purposes of this rule, "significant |
| 11 | change" means a | a major de | ecline or improvement in a resident's status related to factor in Subparagraph (1)(A) through |
| 12 | (M) of this Parag | graph. Th | ne facility shall assure conduct an assessment of a resident is completed within 10 three days |
| 13 | following after t | the facilit | ty identifies that a significant change in the resident's baseline condition has occurred. The |
| 14 | facility shall use | e using th | ne assessment instrument required in Paragraph (b) of this Rule. For the purposes of this |
| 15 | Subchapter, sign | nificant ch | nange in the resident's condition is determined as follows: |
| 16 | (1) | Signific | cant change is one or more of the following: |
| 17 | | (A) | deterioration in two or more activities of daily living; living including bathing, dressing, |
| 18 | | | personal hygiene, toileting, or eating; |
| 19 | | (B) | change in ability to walk or transfer; transfer, including falls if the resident experiences |
| 20 | | | repeated falls on the same day, recurrent falls overall several days to weeks, new onset of |
| 21 | | | falls not attributed to a readily identifiable cause, or a fall with consequent change in |
| 22 | | | neurological status, or findings suggesting a possible injury; |
| 23 | | (C) | change in the ability to use one's hands to grasp small objects; Pain worsening in severity, |
| 24 | | | intensity, or duration, and/or occurring in a new location, or new onset of pain associated |
| 25 | | | with trauma; |
| 26 | | (D) | deterioration in behavior or mood to the point where daily problems arise or relationships |
| 27 | | | have become problematic; change in the pattern of usual behavior, new onset of resistance |
| 28 | | | to care, abrupt onset or progression of significant agitation or combative behavior, |
| 29 | | | deterioration in affect or mood, or violent or destructive behaviors directed at self or others. |
| 30 | | (E) | no response by the resident to the treatment intervention for an identified problem; |
| 31 | | (F) | initial onset of unplanned weight loss or gain of five percent of body weight within a 30- |
| 32 | | | day period or 10 percent weight loss or gain within a six-month period; |
| 33 | | (G) | threat to life such as stroke, heart condition, or metastatic cancer; when a resident has been |
| 34 | | | enrolled in hospice; |
| 35 | | (H) | emergence of a pressure ulcer at Stage II, which is a superficial ulcer presenting an |
| 36 | | | abrasion, blister or shallow crater, or higher; any pressure ulcer determined to be greater |
| 37 | | | than Stage II; |

| 1 | | (I) | a new diagnosis of a condition likely to affect the resident's physical, mental, or |
|----|---|-----------------------|---|
| 2 | | | psychosocial well-being; well being such as initial diagnosis of Alzheimer's disease or |
| 3 | | | diabetes; |
| 4 | | (J) | improved behavior, mood or functional health status to the extent that the established plan |
| 5 | | | of care no longer meets the resident's needs; matches what is needed; |
| 6 | | (K) | new onset of impaired decision-making; |
| 7 | | (L) | continence to incontinence or indwelling catheter; or |
| 8 | | (M) | the resident's condition indicates there may be a need to use a restraint and there is no |
| 9 | | | current restraint order for the resident. |
| 10 | (2) | Signifi | cant change is not any of does not include the following: |
| 11 | | (A) | changes that suggest slight upward or downward movement in the resident's status; |
| 12 | | (B) | changes that resolve with or without intervention; |
| 13 | | (C) | changes that arise from easily reversible causes; |
| 14 | | (D) | an acute illness or episodic event; event. For the purposes of this Rule "acute illness" means |
| 15 | | | symptoms or a condition that develops quickly and is not a part of the resident's baseline |
| 16 | | | physical health or mental health status; |
| 17 | | (E) | an established, predictive, cyclical pattern; or |
| 18 | | (F) | steady improvement under the current course of care. |
| 19 | (d) If a resident | t experier | nces a significant change as defined in Paragraph (c) of this Rule, the facility shall refer the |
| 20 | resident to the | resident' | s physician or other appropriate licensed health professional such as a mental health |
| 21 | professional, nu | rse practi | tioner, physician assistant or registered nurse in a timely manner consistent with the resident's |
| 22 | condition but no | longer t | han 10 three days from the date of the significant change, change assessment, and document |
| 23 | the referral in th | e residen | it's record. Referral shall be made immediately when significant changes are identified that |
| 24 | pose an immediate risk to the health and safety of the resident, other residents residents, or staff of the facility. | | |
| 25 | (e) The assessm | nents requ | uired in Paragraphs (a) (b) and (c) of this Rule shall be completed and signed by the person |
| 26 | designated by th | e admini | strator to perform resident assessments. |
| 27 | | | |
| 28 | History Note: | Author | ity G.S. 131D-2.16; 131D-4.4; 131D-4.5; 143B-165; |
| 29 | | Тетро | rary Adoption Eff. January 1, 1996; |
| 30 | | Eff. Ma | y 1, 1997; |
| 31 | | Тетро | rary Amendment Eff. December 1, 1999; |
| 32 | | Amend | ed Eff. July 1, 2000; |
| 33 | | Тетро | rary Amendment Eff. September 1, 2003; |
| 34 | | Amend | ed Eff. July 1, 2005; June 1, 2004. <u>2004;</u> |
| 35 | | <u>Reado</u> p | oted Eff. May 1, 2025. |
| 36 | | | |

| 1 | 10A NCAC 130 | G .0802 is readopted as published in 39:06 NCR 282-316 as follows: | |
|----|--|---|--|
| 2 | 10A NCAC 130 | G .0802 RESIDENT CARE PLAN | |
| 3 | | | |
| 4 | (a) A family care home The facility shall assure a care plan is developed develop and implement a care plan for each | | |
| 5 | - | unction with based on the resident resident's assessment to be completed within 30 days following | |
| 6 | | rding to in accordance with Rule .0801 of this Section. The care plan shall be an individualized, written | |
| 7 | | sonal care for each resident. resident-centered and include the resident's preferences related to the | |
| 8 | - | re and services. A copy of each resident's current care plan shall be maintained in a location in the | |
| 9 | • | can be accessed by facility staff who are responsible for the implementation of the care plan. | |
| 10 | • | an shall be revised as needed based on further assessments of the resident according to Rule .0801 of | |
| 11 | • | The resident shall be offered the opportunity to participate in the development of his or her care plan. | |
| 12 | | sunable to participate in the development of the care plan due to cognitive impairment, the responsible | |
| 13 | - | offered the opportunity to participate in the development of the care plan. | |
| 14 | • • | an shall include the following: | |
| 15 | (1) | a statement of the care or service to be provided based on the assessment or reassessment; and | |
| 16 | | description of services, supervision, tasks, and level of assistance to be provided to address the | |
| 17 | | resident's needs identified in the resident's assessment in Rule .0801 of this Subchapter; | |
| 18 | (2) | frequency of the service provision. services or tasks to be performed; | |
| 19 | (3) | revisions of tasks and frequency based on reassessments in accordance with Rule .0801 of this | |
| 20 | | Subchapter; | |
| 21 | <u>(4)</u> | licensed health professional tasks required according to Rule .0903 of this Subchapter; | |
| 22 | (5) | a dated signature of the assessor upon completion; and | |
| 23 | <u>(6)</u> | a dated signature of the resident's physician or physician extender within 15 days of completion of | |
| 24 | | the care plan certifying the resident as being under this physician's care with medical diagnoses | |
| 25 | | justifying the tasks specified in the care plan. This shall not apply to residents assessed through the | |
| 26 | | Medicaid State Plan Personal Care Services Assessment for the portion of the assessment covering | |
| 27 | | tasks needed for each activity of daily living of this Rule for which care planning and signing are | |
| 28 | | directed by Medicaid. The activities of daily living relevant to the Medicaid State Plan Personal | |
| 29 | | Care Services Assessment are bathing, dressing, mobility, toileting, and eating. | |
| 30 | (d) The assesse | or shall sign the care plan upon its completion. | |
| 31 | (e) The facility | shall assure that the resident's physician authorizes personal care services and certifies the following | |
| 32 | by signing and | dating the care plan within 15 calendar days of completion of the assessment: | |
| 33 | (1) | the resident is under the physician's care; and | |
| 34 | (2) | the resident has a medical diagnosis with associated physical or mental limitations that justify the | |
| 35 | | personal care services specified in the care plan. | |
| 36 | (d) If the reside | ent received home health or hospice services, the facility shall communicate with the home health or | |
| 37 | hospice agency | to coordinate care and services to ensure the resident's needs are met. | |

1 (f)(e) The facility shall assure that the care plan for each resident who is under the care of a provider of mental health, 2 developmental disabilities or substance abuse use services includes resident specific instructions regarding how to 3 contact that provider, including emergency contact, and after-hours contacts. Whenever significant behavioral changes 4 described in Rule .0801(c)(1)(D) of this Subchapter are identified, the facility shall refer the resident to a provider of 5 mental health, developmental disabilities or substance abuse use services in accordance with Rule .0801(d) of this 6 Subchapter. 7 (f) The care plan shall be revised as needed based on the results of a significant change assessment completed in 8 accordance with Rule .0801 of this Section. 9 10 Authority G.S. 131D-2.16; 131D-4.3; 131D-4.4; 131D-4.5; 143B-165; History Note: 11 Temporary Adoption Eff. January 1, 1996; Eff. May 1, 1997; 12 13 Temporary Amendment Eff. January 1, 2001; 14 Temporary Amendment Expired October 13, 2001; 15 Temporary Amendment Eff. September 1, 2003; Amended Eff. July 1, 2005; June 1, 2004. 2004; 16 Readopted Eff. May 1, 2025. 17 18

| 1 | 10A NCAC 130 | G .1601 is readopted as published in 39:06 NCR 282-316 as follows: |
|----|------------------|--|
| 2 | | |
| 3 | | SECTION .1600 - <u>STAR</u> RATED CERTIFICATES |
| 4 | | |
| 5 | 10A NCAC 130 | G .1601 SCOPE DEFINITIONS |
| 6 | (a) This Section | applies to all licensed family care homes for two to six residents that have been in operation for more |
| 7 | than one year. | |
| 8 | (b) As used in t | this Section a "rated certificate" means a certificate issued to a family care home on or after January 1, |
| 9 | 2009 and based | on the factors contained in G.S. 131D-10. |
| 10 | (a) As used in t | this Section, the following definitions shall apply: |
| 11 | (1) | "Demerits" means points which are subtracted from a facility's star rating calculation as set forth in |
| 12 | | the requirements of Rule .1604 of this Section. |
| 13 | (2) | "Merits" means points which are added to a facility's star rating calculation as set forth in the |
| 14 | | requirements of Rule .1604 of this Section. |
| 15 | (3) | "Standard deficiency" means a citation issued by the Division of Health Service Regulation to a |
| 16 | | facility for failure to comply with licensure rules and statutes governing adult care homes and the |
| 17 | | non-compliance does not meet the criteria for a Type A1, Type A2 or Type B violation defined in |
| 18 | | G.S. 131D-34. |
| 19 | <u>(4)</u> | "Star rated certificate" means a certificate issued by the Division of Health Service Regulation that |
| 20 | | includes a numerical score and corresponding number of stars issued to an adult care home based |
| 21 | | on the factors contained in G.S. 131D-10. |
| 22 | <u>(5)</u> | "Star rating" means the numerical scare and corresponding number of stars a facility receives based |
| 23 | | on the factors contained in G.S. 131D-10. |
| 24 | (6) | "Star rating worksheet" means a document issued by the Division of Health Service Regulation |
| 25 | | which demonstrates how a facility's star rating was calculated. |
| 26 | <u>(7)</u> | "Type A1 violation" means the term as defined in G.S. 131D-34. |
| 27 | <u>(8)</u> | "Type A2 violation" means the term as defined in G.S. 131D-34. |
| 28 | (9) | "Type B violation" means the term as defined in G.S. 131D-34. |
| 29 | | |
| 30 | History Note: | Authority G.S. 131D-4.5; 131D-10; |
| 31 | | Eff. July 3, 2008. 2008; |
| 32 | | Readopted Eff. August 1, 2025. |
| 33 | | |
| 34 | | |

1 10A NCAC 13G .1602 is readopted as published in 39:06 NCR 282-316 as follows: 2 3 10A NCAC 13G .1602 ISSUANCE OF RATED CERTIFICATES A STAR RATING 4 (a) A star rated certificate and worksheet shall be issued to a facility by the Division of Health Service Regulation 5 within 45 days completion of a new rating calculation pursuant to Rule .1604 of this Subchapter. from the date that 6 the Division mails the survey or inspection report to the facility, except when a timely request has been made by the 7 facility under G.S. 131D-2.11 for informal dispute resolution. If a facility makes a timely request for informal dispute 8 resolution, the Division of Health Service Regulation shall issue a star rating to the facility within 15 days from the 9 date the Division mails the informal dispute decision to the facility. 10 (b) If the ownership of the facility changes, the rated certificate star rating in effect at the time of the change of 11 ownership shall remain in effect until the next annual or biennial survey or until a new certificate is issued pursuant 12 to Rule .1604(b) of this Subchapter. 13 (c) The star rated certificate and any worksheet the Division used to calculate the rated certificate shall be displayed 14 in a location visible to the public. 15 (d) The star rating worksheet shall be posted on the Division of Health Service Regulation website. (d) (e) The facility may contest the rated certificate star rating by requesting a contested case hearing pursuant to 16 17 Article 3 of G.S. 150B. The star rating rated certificate and any subsequent certificates star ratings shall remain in 18 effect during any contested case hearing process. 19 20 History Note: Authority G.S. 131D-4.5; 131D-10; 21 Eff. July 3, 2008. 2008; 22 Readopted Eff. August 1, 2025.

| 1 | 10A NCAC 13G .1603 is readopted as published in 39:06 NCR 282-316 as follows: | | |
|----|---|--|--|
| 2 | | | |
| 3 | 10A NCAC 13C | G.1603 STATUTORY AND RULE REQUIREMENTS AFFECTING <u>STAR</u> RATED | |
| 4 | | CERTIFICATES | |
| 5 | The following S | tatutes and Rules comprise the standards that contribute to rated certificates: | |
| 6 | (1) | G.S. 131D-21 Resident's Rights; | |
| 7 | (2) | 10A NCAC 13G Section .0300 The Building; | |
| 8 | (3) | Section .0400 of this Subchapter Staff Qualifications; | |
| 9 | (3) (4) | 10A NCAC 13G Section .0700 of this Subchapter Admission and Discharge Requirements; | |
| 10 | | Discharge; | |
| 11 | (4)<u>(5)</u> | 10A NCAC 13G Section .0800 of this Subchapter Resident Assessment and Care Plan; | |
| 12 | (5) (6) | 10A NCAC 13G Section .0900 of this Subchapter Resident Care and Services; | |
| 13 | (6) (7) | 10A NCAC 13G Section .1000 of this Subchapter Medications; and | |
| 14 | (7) (8) | 10A NCAC 13G-Section .1300 of this Subchapter Use of Physical Restraints and Alternatives. | |
| 15 | | Alternatives; and | |
| 16 | (9) | Section .1700 of this Subchapter Infection Prevention and Control. | |
| 17 | | | |
| 18 | History Note: | Authority G.S. 131D-4.5; 131D-10; | |
| 19 | | Eff. July 3, 2008. <u>2008:</u> | |
| 20 | | Readopted Eff. August 1, 2025. | |

| 1 | 10A NCAC 13G | .1604 is | readopted as published in 39:06 NCR 282-316 as follows: | |
|----|--------------------------------|---|---|--|
| 2 | | | | |
| 3 | 10A NCAC 13C | G .1604 | RATING CALCULATION | |
| 4 | (a) Ratings shall be based on: | | | |
| 5 | (1) | Inspect | ions completed pursuant to G.S. 131D-2(b)(1a)a; 131D-2.11(a) and (a1); | |
| 6 | (2) | Statuto | ry and Rule requirements listed in Rule .1603 of this Section; | |
| 7 | (3) | Type A | x A1, Type A2, or uncorrected Type B penalty violations identified pursuant to G.S. 131D- | |
| 8 | | 34; and | | |
| 9 | (4) | Other it | tems listed in Subparagraphs (c)(1) and (c)(2) of this Rule. | |
| 10 | (b) The initial r | b) The initial rating a facility receives shall remain in effect until the next inspection. If an activity occurs which | | |
| 11 | results in the as | signment | t of additional merit or demerit points, a new certificate shall be issued pursuant to Rule | |
| 12 | .1602(a) of this S | Section. | | |
| 13 | (c) The rating sh | nall be ba | sed on a 100 point scale. Beginning with the initial rating and repeating with each annual or | |
| 14 | biennial inspecti | on, the fa | ncility shall be assigned 100 points and shall receive merits or demerits, which shall be added | |
| 15 | or subtracted fro | m the 10 | 0 points, respectively. The merits and demerits shall be assigned as follows: | |
| 16 | (1) | Merit P | oints | |
| 17 | | (A) | If the facility corrects eitations a standard deficiency of noncompliance with the statutes or | |
| 18 | | | rules listed in Rule .1603 of this Subchapter, which are not related to the identification of | |
| 19 | | | a Type A violation or an uncorrected Type B violation, the facility shall receive 1.25 merit | |
| 20 | | | points for each corrected deficiency; | |
| 21 | | (B) | If the facility receives citations on its annual inspection with no Type A or Type B | |
| 22 | | | violations and the rating from the annual inspection is one or zero stars, the facility may | |
| 23 | | | request Division of Health Service Regulation to conduct a follow up inspection not less | |
| 24 | | | than 60 days after the date of the annual inspection. A follow up inspection shall be | |
| 25 | | | completed depending upon the availability of Division of Health Service Regulation staff. | |
| 26 | | | As determined by the follow up review, the facility shall receive 1.25 merit points for each | |
| 27 | | | corrected deficiency; If the facility corrects a citation for which a Type B violation was | |
| 28 | | | identified, the facility shall receive 1.75 merit points; | |
| 29 | | (C) | If the facility corrects the citation for which a Type A violation was identified, the facility | |
| 30 | | | shall receive 2.5 merit points and shall receive an additional 2.5 merit points following the | |
| 31 | | | next annual inspection if no further Type A violations are identified; If the facility corrects | |
| 32 | | | a previously uncorrected Type B violation, the facility shall receive 1.75 merit points; | |
| 33 | | (D) | If the facility corrects a previously uncorrected Type B violation, the facility shall receive | |
| 34 | | | 1.25 merit points; If the facility corrects the citation for which a Type A1 or Type A2 | |
| 35 | | | violation was identified, the facility shall receive 5 merit points; | |
| 36 | | <u>(E)</u> | If the facility corrects a previously uncorrected Type A1 or A2 violation, the facility shall | |
| 37 | | | receive 5 merit points; | |
| | | | | |

| 1 | (<u>E)(F)</u> | If the facility's admissions have been suspended, the facility shall receive 5 merit points if |
|----|----------------------------|--|
| 2 | | the suspension is removed; |
| 3 | <u>(G)</u> | If the facility's license is restored to a full license after being downgraded to a provisional |
| 4 | | license, the facility shall receive 5 merit points; |
| 5 | (F) (<u>H)</u> | If the facility participates in any quality improvement program pursuant to G.S. 131D-10, |
| 6 | | the facility shall receive 2.5 merit points; |
| 7 | (G) | If the facility receives NC NOVA special licensure designation, the facility shall receive |
| 8 | | 2.5 merit points; |
| 9 | <u>(I)</u> | If the facility establishes an ongoing resident council which meets at least quarterly, the |
| 10 | | facility shall receive .5 merit point; |
| 11 | <u>(J)</u> | If the facility establishes an ongoing family council which meets at least quarterly, the |
| 12 | | facility shall receive .5 merit point; |
| 13 | <u>(K)</u> | If the facility's designated on-site staff member who directs the facility's infection control |
| 14 | | activities in accordance with G.S. 131D-4.4A has completed the "Infection Control in Long |
| 15 | | Term Care Facilities" course offered by the University of North Carolina Statewide |
| 16 | | Program for Infection Control and Epidemiology (SPICE) every two years, the facility |
| 17 | | shall receive .5 merit point; |
| 18 | (H) (L) | On or after the effective date of this Rule, if If the facility permanently installs a generator |
| 19 | | or has a contract with a generator provider to provide emergency power for essential |
| 20 | | functions of the facility, the facility shall receive 2 merit points. For purposes of this |
| 21 | | Section, Rule, essential functions mean those functions necessary to maintain the health or |
| 22 | | safety of residents during power outages greater than 6 hours. hours and include the fire |
| 23 | | alarm system, heating, lighting, refrigeration for medication storage, minimal cooking, |
| 24 | | elevators, medical equipment, computers, door alarms, special locking systems, sewage |
| 25 | | and well operation where applicable, sprinkler system, and telephones. If the facility has |
| 26 | | an existing permanently installed generator or an existing contract with a generator |
| 27 | | provider, the facility shall receive 1 merit point for maintaining the generator in working |
| 28 | | order or continuing the contract with a generator provider; and |
| 29 | (<u>I)(M)</u> | On or after the effective date of this Rule, if If the facility installs automatic sprinklers in |
| 30 | | compliance with the North Carolina Building Code, and maintains the system in working |
| 31 | | order, the facility shall receive 3 merit points. If the facility has an existing automatic |
| 32 | | sprinkler, the facility shall receive 2 merit points for subsequent ratings for maintaining the |
| 33 | | automatic sprinklers in good working order, order; and |
| 34 | (N) | If the facility engages the services of a third-party company to conduct resident and family |
| 35 | | satisfaction surveys at least annually for the purpose of improving resident care, the facility |
| 36 | | shall receive 1 merit point. Resident and family satisfaction surveys shall not be conducted |
| 37 | | by any employees of the facility, or a third-party company affiliated with the facility. The |

| 1 | | | satisfaction survey results shall be made available upon request and in a location accessible |
|----|--------------------|--|---|
| 2 | | | to residents and visitors in the facility. |
| 3 | (2) | Demeri | t Points |
| 4 | | (A) | For each standard deficiency eitation of noncompliance with the statutes or rules listed in |
| 5 | | | Rule .1603 of this Subchapter, the facility shall receive a demerit of 2 points. The facility |
| 6 | | | shall receive demerit points only once for citations in which the findings are identical to |
| 7 | | | those findings used for another citation; |
| 8 | | (B) | For each citation of a Type A A1 or Type A2 violation, the facility shall receive a demerit |
| 9 | | | of 10 points; points, and if the Type A1 or Type A2 violation remains uncorrected as result |
| 10 | | | of a follow-up inspection, the facility shall receive an additional demerit of 10 points; |
| 11 | | (C) | For each citation of a Type B violation, the facility shall receive a demerit of 3.5 points and |
| 12 | | | if the Type B violation remains uncorrected as the result of a follow-up inspection, the |
| 13 | | | facility shall receive an additional demerit of 3.5 points; |
| 14 | | (D) | If the facility's admissions are suspended, the facility shall receive a demerit of 10 points; |
| 15 | | | however, if the facility's admissions are suspended pursuant to G.S. 131D-4.2, G.S. 131D- |
| 16 | | | 2.7, the facility shall not receive any demerit points; and |
| 17 | | <u>(E)</u> | If the facility's license is downgraded to a provisional license pursuant to G.S. 131D-2.7, |
| 18 | | | the facility shall receive a demerit of 10 points; |
| 19 | | (E) (F) | If the facility receives a notice of revocation against its license, license pursuant to G.S. |
| 20 | | | 131D-2.7, the facility shall receive a demerit of 31 points. points; and |
| 21 | | (G) | If the facility's license is summarily suspended pursuant to G.S. 131D-2.7, the facility shall |
| 22 | | | receive a demerit of 31 points. |
| 23 | (d) Facilities sl | nall be giv | en a rating of zero to four stars depending on the score assigned pursuant to Paragraph (a), |
| 24 | (b) or (c) of this | s Rule. Rat | tings shall be assigned as follows: |
| 25 | (1) | Four sta | ars shall be assigned to any facility whose score is 100 points or greater on two consecutive |
| 26 | | annual <u>c</u> | or biennial inspections; |
| 27 | (2) | Three st | tars shall be assigned for scores of 90 to 99.9 points, or for any facility whose score is 100 |
| 28 | | points o | or greater on one annual or biennial inspection; |
| 29 | (3) | Two stars shall be assigned for scores of 80 to 89.9 points; | |
| 30 | (4) | One sta | r shall be assigned for scores of 70 to 79.9 points; and |
| 31 | (5) | Zero sta | ars shall be assigned for scores of 69.9 points or lower. |
| 32 | | | |
| 33 | History Note: | Authori | ty G.S. 131D-4.5; 131D-10; |
| 34 | | Eff. July | y 3, 2008. <u>2008:</u> |
| 35 | | <u>Readop</u> | ted Eff. August 1, 2025. |

| 1 | 10A NCAC 13G .1605 is readopted as published in 39:06 NCR 282-316 as follows: | | |
|----|--|--|--|
| 2 | | | |
| 3 | 10A NCAC 13G .1605 CONTENTS OF <u>STAR</u> RATED CERTIFICATE | | |
| 4 | (a) The certificate shall contain a rating determined pursuant to Rule .1604 of this Subchapter. | | |
| 5 | (b) The certificate or accompanying worksheet from which the score is derived shall contain a breakdown of the point | | |
| 6 | merits and demerits by the factors listed in Rules .1603 and .1604(c) of this Subchapter in a manner that the publi | | |
| 7 | can determine how the rating was assigned and the factors that contributed to the rating. | | |
| 8 | (c) The certificate shall be printed on the same type of paper that is used to print the facility's license. | | |
| 9 | (d)(c) The Division of Health Service Regulation shall issue the certificate pursuant to Rule .1602 of this Subchapter | | |
| 10 | | | |
| 11 | History Note: Authority G.S. 131D-4.5; 131D-10; | | |
| 12 | Eff. July 3, 2008. <u>2008;</u> | | |

Readopted Eff. August 1, 2025.