

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. DEPARTMENT OF INSURANCE

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 11 NCAC 01 .0301

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

The introduction to the rule is incorrect as to the pages in the NCR where the proposed rule is found.

Maybe I'm being fussy but I believe the rule would read a bit easier if it included another level such as (or something similar):

(a) Declaratory rulings pursuant to G.S. 150B-4 ~~will~~ **shall** be issued by the Department ~~only on~~ **only**:

(1) ...

(2) ~~as to~~ **as to** the applicability to a given state of facts of:

(A) a ~~statute administered by the Department.~~

(B) ~~a~~ rule **adopted by the Department**, or

(C) ~~an~~ order ~~of~~ **issued by** the Department.

In (a) line 7 change "will" to "shall" as shown above.

Please make the same change in (b) line 12.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at Suite 159, 1307 Glenwood Avenue, Raleigh, North Carolina.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. DEPARTMENT OF INSURANCE

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 11 NCAC 06A .0801

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

It seems to me that at the end of line 1 of (12)(b) page 2 there needs to be the word "and" or some other connector between "partnership programs" and "other public and private ... services...."

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at Suite 159, 1307 Glenwood Avenue, Raleigh, North Carolina.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. DEPARTMENT OF INSURANCE

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 11 NCAC 06A .0814

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

I understand the continuing education requirement in (a) as applicable to agents already licensed and is to be completed within the period January 1, 2010 through December 31, 2011.

If that is true then I think (b) needs to be a bit clearer as to who it applies to. It seems the intent would be to apply it to agents licensed and selling after the effective date of this rule (and not January 1, 2011 as set out in (b) line 9 – please make that change), not apparently just to those who sell the policies after the effective date – which of course would include all those in (a).

I am not requesting a date change in (a) since that date is only a measuring point and does not require that a person be in compliance on and after that date. Paragraph (b) as written requires compliance at a time prior to the effective date of the rule.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at Suite 159, 1307 Glenwood Avenue, Raleigh, North Carolina.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. DEPARTMENT OF INSURANCE

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 11 NCAC 13 .0512

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

In (j) line 28 either add "according to the standards in these rules" or similar language after "for approval" at the end of the sentence (or reference the rule(s)); or specify the standards in this rule; or delete "for approval" and the next sentence.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at Suite 159, 1307 Glenwood Avenue, Raleigh, North Carolina.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. CRIMINAL JUSTICE AND EDUCATION TRAINING STANDARDS
COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 12 NCAC 09B .0304

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1

In (a)(1) – (7) there should be a semicolon (or at least a comma) at the end of each line. At the end of sub-paragraph (a)(7), line 13, add the word “and” following the semicolon.

There should be a period at the end of (a)(8), line 14.

These two changes will match the style used through the rest of the rule.

In (i)(2), page 3 lines 18 – 21, please verify that the standards and guidelines referred to include the certification for first aid. Since the curriculum standards for the CPR certification now match the general requirement in (b) for all specialized instructor certifications, you actually don’t need to mention the CPR certification requirement in (i) and could (and probably should) rewrite it to emphasize the first aid portion for this specialized certification.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02B .0312

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

At the end of (a)(2)(A) and (B), lines 10 and 13 put a semicolon. Put the word "and" after the semicolon at the end of (B) line 13.

In (b)(1) – (9) reference what paragraphs of this rule each of the subparagraphs is applicable to, as we've done in other rules recently.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0901

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

In (a) line 7 make "State" and "Pretreatment Standards" lowercase.

At the end of (b)(2) - (8), put a semicolon just as at the end of (b)(1). Put the word "and" after the semicolon at the end of (8) page 2 line 4.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0902

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

In (1) line 5 make "Pretreatment Standards" lowercase.

In (2) line 8 make "Control Authorities" and "Pretreatment Standards" lowercase.

In (3) "Pretreatment Standards."

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0903

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

In (b)(1) – (38) change the period at the end of the sub-paragraphs to semicolons. At the end of (38) add the word “and” following the semicolon.

There are too many places in this rule to point out and type where terms are capitalized when they should not be. There is no reason to capitalize “Pretreatment Authority,” “Approval Authority” and “Control Authority” in the body of the rule even if they are referring to particular persons. Even where it is the term being defined and is in quotes you could make the second and succeeding words lowercase.

Other such terms are “National Categorical Pretreatment Standard,” “Non-discharge,” “Non-Discharge,” “Non-Discharge Permit,” “Indirect Discharge,” “Headworks Analysis,” “Monitoring Plans,” “Long Term” ... “Short Term,” “Categorical Standard,” “Publicly Owned Treatment Works (or place it in quote marks in (b)(26) page 4 line 27), and “Ammonia.”

You need to go through this rule and make those terms lowercase. This would also include any other similar terms I may have overlooked citing. If you have any questions about this you may call me and discuss. I can also refer you to my copy that has most if not all of them circled.

In (b)(13), page 2 line 16 change “and/or” to “and” or “or.”

In (b)(14), page 2 line 26 change “and/or” to “and” or “or.”

In (b)(23), page 4 line 12 change “and/or” to “and” or “or.”

In (b)(26), page 4 line 28, change “a State or local government” to “the State or a local government” or make “State” lowercase.

In (b)(26), page 5 line 1 make “Rules” lowercase.

In (b)(28), page 5 line 7 change “and/or” to “and” or “or.”

In (b)(32), page 5 line 18 change “and/or” to “and” or “or.”

In (b)(33)(B) and (C), page 6 lines 5 and 7, the deletion of “or” at the end of the line is not properly formatted.

In (b)(34), page 6 line 26, change the period following “SNC” to a colon.

In (b)(34)(H), page 7 line 23 change “and/or” to “and” or “or.”

In (b)(36), page 7 line 26, either delete or define “exceptional.”

In (b)(37), page 7 line 32, either delete or define “environmentally sound.”

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0904

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Make "Control Authority" lowercase in (a) and (b).

Make "Regulations" lowercase in (a) line 4.

Make "Control Authority," Significant Industrial Users" and "Modified Pretreatment Program" (2x) lowercase in (b).

In (b) lines 19 and 20 delete "but not limited to."

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0905

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Review and change to lowercase all the terms previously mentioned. There may be some new terms in this rule including "Sewer Use Ordinance," and "Long or Short Term Monitoring Plan."

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0906

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Review and change to lowercase all the terms previously mentioned. There may be some new terms in this rule including "Satellite," "Interlocal Agreements," "Industrial Waste Survey," and "Program."

In (b)(3), page 2 line 4, delete the second "Plan."

In (b)(3) either change "may" to "shall" (line 6) and delete "as the Division ... necessary" (line 7); add "according to these rules" (or similar language) or refer to the appropriate rule) at the end of (3); or set out the determination standards in this rule.

In line 7 it seems that "shorter" should be "short."

In (b)(9), page 2 line 26 change "and/or" to "and" or "or."

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0907

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Review and change to lowercase all the terms previously mentioned. There may be some new terms in this rule including "Model Pretreatment Sewer Use Ordinance."

Change the period at the end of (a)(1) to a semicolon and add the word "and" after the semicolon.

In (b)(4), page 2 line 4, change the period after "Director" to a colon.

In (e), page 3 line 1, change "may" to "shall;" or add "according to the standards in these rules" (or reference the specific rule(s) containing the standards) or similar language after "may be required;" or specify the standards in this rule.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0908

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Please review the entire rule to change to lowercase all the terms previously mentioned and any other instances of unnecessary capitalization I may have overlooked citing.

In (b) line 21 change "specified" to "provided."

In that same sentence either add "according to the standards in these rules" or similar language after "the Division" at the end of the sentence (or reference the specific rule(s) containing the standards); or specify the standards in this rule; or delete "or otherwise acceptable to."

The same change is needed in (b)(2) lines 26 and 27.

In (b)(5), page 1 line 35, either delete or define "significant."

In (b)(5) page 2 line 2, there is the same issue of "acceptable to the Division" as mentioned earlier.

In (e)(1), page 2 line 21, the comma after "compounds," isn't necessary and should be deleted.

In (e)(1)(C), page 2 line 34, specify who makes the determination whether the SIU meets the criteria. (On my first reading of the rule I thought you were referring to a 'bound and determined' SIU, one who would try its best and was absolutely 'determined' regardless of what it took to meet the criteria.)

In (f), page 3 line 18, there is another occurrence of maintaining records "in a format specified by or otherwise acceptable to the Division" that needs to be corrected.

That same issue occurs again in (g) line 25.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0913

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

In (c) review and make the usual terms lowercase.

In (c) line 15 change "and/or" to "and" or "or."

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0916

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Please review the entire rule to change to lowercase all the terms previously mentioned and any other instances of unnecessary capitalization I may have overlooked citing.

In (c) there should be semicolons rather than periods at the end of sub-paragraphs (1) – (6). At the end of (c)(6)(B)(4), page 5 line 30, add the word “and” following the semicolon.

In (c) line 8 there is an extra “the” before “control authority.”

In (c)(2) line 29 delete “appropriate” as unnecessary.

In (c)(3)(D)(iii), page 2 line 13, either delete or define “brief.”

In (c)(4), page 3 line 1, change the period at the end of the line to a colon.

In (c)(4), page 3 lines 5 and 6, there is another occurrence of maintaining records “in a format specified by or otherwise acceptable to the Division” that needs to be corrected.

In (c)(5)(D), page 5 line 16, delete “therefore.”

In (c)(6)(A), page 5 line 21 either delete “for good cause” or specify the standards used to determine “good cause.”

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0917

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Please review the entire rule to change to lowercase all the terms previously mentioned and also "State Statute" in line 36 and any other instances of unnecessary capitalization I may have overlooked citing.

In (b)(2) and (3) lines 16 and 17 either change "industrial user" to "significant industrial user" for consistency or, even better, delete it entirely as unnecessary.

In (e)(1) line 28 change "regulations" to "rules."

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0920

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Please review the entire rule to change to lowercase all the terms previously mentioned including "Operator in Responsible Charge" and "Rules" at the beginning of line 11, and any other instances of unnecessary capitalization I may have overlooked citing.

Put a period following the zip code in line 24.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. ENVIRONMENTAL MANAGEMENT COMMISSION

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 15A NCAC 02H .0922

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Please review the entire rule to change to lowercase all the terms previously mentioned and any other instances of unnecessary capitalization I may have overlooked citing.

Please cite the specific authority allowing the EMC to require local governments to establish this appeal process, the time limits for taking action, and the appeal from a local decision into superior court.

At the end of (a)(1) and (2) change the periods to semicolons.

In (b) line 30 delete the comma following "appealed,".

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: WILDLIFE RESOURCES COMMISSION

RULE CITATION: 15A NCAC 10A .1201

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Since this rule creates a new Section .1200, add the section name between the introductory sentence and the rule name.

In (a)(10), change the slash to "or."

Delete (c) as unnecessary because it merely repeats the statute.

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: MEDICAL BOARD

RULE CITATION: 21 NCAC 32 - ALL RULES

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

On your forms, correct the date your notice of text was published in the NC Register. There was no Register published October 13, 2010.

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: MEDICAL BOARD

RULE CITATION: 21 NCAC 32B .1301

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In (7), delete "shall mean" to be consistent with the structure in your other items. If you like, you could add "means" to each item in place of the dash.

End items (1) through (39) with semicolons.

End (40) with a semicolon and "and."

End (41) with a period.

In (14), delete "as defined by the ACGME shall mean." Add "as defined by the ACGME" to the end if that is what you mean.

In (28), delete "shall mean."

In (32), delete "shall be." Change "should be" to "is" if this is a requirement. If it is not a requirement, delete the clause. Tell who determines whether a specialty board is "equivalent." Define "specialty board." Change "the Applicant" to "an applicant" and tell what the applicant is applying for.

On page 2, line 11, use only lower case letters.

In (37), (38) and (39), delete "shall mean."

On page 2, line 17, use only lower case letters. Change "the" to "an" and tell an applicant for what.

Delete "90-6" from your history note since it no longer exists.

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: MEDICAL BOARD

RULE CITATION: 21 NCAC 32B .1303

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In (a)(2), delete or define "recent."

In (6), change "COCA" to "AOA" to be consistent with the statute.

In (7), add "the CACMS or AOA" before "meet" to be consistent with the statute.

In (a)(9)(A), change "COCA" to "AOA."

In (a)(9)(B), add "CACMS or AOA" before "shall."

In (a)(10), add "the" before each "applicant."

End (a)(10)(A) with "or."

In (a)(10)(B), delete everything after the last comma as unnecessary.

In (a)(11), delete "shall" to be grammatically consistent.

In (a)(12), delete or define "relevant."

End (a)(14)(A) with "and."

End (a)(15)(A) with "and."

End (a)(14)(B) and (a)(15)(B) with semicolons.

End (a)(21)(D) with a semicolon.

In (b)(1), close your parenthesis.

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: MEDICAL BOARD

RULE CITATION: 21 NCAC 32B .1370

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In (a), delete "be required to."

In (c), change "subparagraphs" to "paragraphs." Change "section" to "rule."

Throughout the rule use lower case letters except at the beginning of a sentence or for a proper noun.

End (d)(9) with "and."

In (e), change "will" to "shall."

In (g), change "should" to "shall" or delete the sentence. Change "and/or" to "and" or "or."

On page 2, line 1, add "the" before "licensee."

In (h), change "should" to "shall" or delete the sentence if it is not a requirement. On line 4, should not "may" be "shall?" If not, nothing in (1) or (2) is required. Changing "shall" means the plan must include (1) or (2). As written, nothing is required.

In (h)(2)(C), delete or define "appropriate."

In (h)(2)(E), change "and/or" to "and" or "or." Change "may" to "shall" or set out the standards for making the decision.

In (i), change "will" to "shall."

In (j), change "will" to "shall."

In (l), delete "solely."

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: MEDICAL BOARD

RULE CITATION: 21 NCAC 32B .1501

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Delete the word "Limited" so the name of the license is the same as in the statute.

Change "shall mean" to "means."

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: MEDICAL BOARD

RULE CITATION: 21 NCAC 32B .1502

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In the title of your rule, delete "limited."

Make the first sentence paragraph (a). Change (1) to paragraph (b) and make other necessary conforming changes. (1) through (5) are not truly a list.

Use lower case letters for common nouns.

End (1)(b) with a semicolon.

In (1)(d), delete or define "recent."

End (1)(o) with "and."

Delete (5) as unnecessary. Where else would it apply?

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: MEDICAL BOARD

RULE CITATION: 21 NCAC 32M .0109

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In (b)(2)(C), change "must possess" to "possesses."

In (b)(3)(A) and (B), delete or define "specific."

Delete the no longer existent "90-6" from your history note.

Delete "90-171.42" from your history note. It gives your board no authority.

You should be able to delete the Fed. Reg. cite from the history note.

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: MEDICAL BOARD

RULE CITATION: 21 NCAC 32S .0202

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In (a), change "may" to "shall." Perhaps you want to change the sentence to read: "An applicant for a physician assistant license must:" Then take the "s" off the first word in each subparagraph.

In (a)(3), change "supply" to "supplies."

In (a)(4), tell by whom accredited.

End (a)(6) and (7) with semicolons.

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: MEDICAL BOARD

RULE CITATION: 21 NCAC 32W .0102

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In (a), either change "may" to "shall" or change the second sentence to read: "An applicant for an anesthesiologist assistant license shall:". Then remove the "s" from the first word in each subparagraph.

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: MEDICAL BOARD

RULE CITATION: 21 NCAC 32X .0104

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Throughout the rule, define how the board will publish. Just saying "The Board shall publish" means very little.

In (a), delete or define "certain."

In (b), change "such as" to "including."

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: PERFUSION ADVISORY COMMITTEE

RULE CITATION: 21 NCAC 32V .0103

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

On your form, change the name of the agency to "Perfusion Advisory Committee." That is the agency with the authority for this rule.

In (a), change "this Subchapter" to "G.S. 90-683" to be consistent with the statute. There is no authority cited for you to make any exceptions to the statute.

Change the second sentence in (a) to "An applicant for a license shall:". This would not apply to a provisional license since he would not have to meet everything in G.S. 90-686.

In (a)(1), change "satisfies" to "satisfy."

In (a)(2), change "is not" to "not be."

In (a)(4), change "submits" to "submit." Change the semicolon to a period and delete "and."

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: BOARD OF EXAMINERS IN OPTOMETRY

RULE CITATION: 21 NCAC 42B - ALL RULES

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In 9 on your form, add the typed name and title.

Identify and date your original forms and rules.

Add your rule name to your forms.

Change the name of the agency on the form to "North Carolina State Board of Examiners in Optometry" to be consistent with the statute.

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: BOARD OF EXAMINERS IN OPTOMETRY

RULE CITATION: 21 NCAC 42B .0107

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Throughout the rule, correctly underline and strikethrough. Punctuation can only be underlined and struckthrough in conjunction with a word. See how the rule was published in the Register.

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: BOARD OF EXAMINERS IN OPTOMETRY

RULE CITATION: 21 NCAC 42B .0302

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Change the first nine words in the second sentence in (a) to "The board shall approve" or otherwise clarify what the sentence means.

In (g), either delete "known to have expertise" or tell by whom known and define "expertise." Change "are qualified" to "have."

In (k)(2), delete or define "fully."

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: BUILDING CODE COUNCIL

RULE CITATION: 2012 NC Energy Conservation Code 503.2.9

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In 503.2.9.1, delete "as a minimum."

In 503.2.9.2, delete "at least." In 2, delete or define "clearly." In 6, delete or define "major."

Why was this submitted separately from the remainder of the Energy Conservation Code?

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

Robert A. Bryan, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: BUILDING CODE COUNCIL

RULE CITATION: 2012 NC Energy Conservation Code

DEADLINE FOR RECEIPT: Tuesday, February 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In 103.2, delete or define "upon suitable material." Delete "but are not limited to."

In 202, in the definition of "BPI Envelope Professional," delete "successfully." It is not possible to unsuccessfully pass.

In the definition of "Building Commissioning Authority Certified Commissioning Professional," be consistent in whether this is an "authority" or an "association."

In the definition of "conditioned space," change "and/or" to "and" or "or."

In the definition of "entrance door," delete "but not limited to."

In the definition of "labeled," add language telling when a testing laboratory is "nationally recognized."

In the definition of "listed," change "acceptable to" to "approved by" or set out the standards to be used in determining what is acceptable.

In the definition of "on-site renewable energy," delete "but is not limited to."

In the definition of "storefront," delete "but are not limited to."

Delete 301.3 as irrelevant to a North Carolina Building Code.

In 303.1.3, tell by whom accredited.

In 303.2, should not the reference be to the North Carolina Building Code?

In 303.3, delete or define "clearly."

In 401.2, delete "or" at the end of 1. In 3, change "and/or" to "and" or "or."

In 401.3, change "and/or" to "and" or "or."

Robert A. Bryan, Jr.
Commission Counsel

In 401.4, delete or define "strictly."

In 402.2.12, delete or define "substantial" and "substantially."

In 402.4.2.2, delete "A single point" or complete the sentence. It appears that the language in the second column is probably the completion of the sentence. Re-organize the provision so that it makes sense.

In 402.4.4, tell by whom accredited.

In 405.1, add "if required by North Carolina licensure laws" to the end. Since this does not deal with design, your definition does not cover this.

In 501.2, delete "any." Add commas after the first 5 items in the list. End e with "or" and f with a period.

In 502.4.1, tell by whom accredited.

In 502.4.7, change "ft²" to "square feet."

In 503.2.5, should not the references to the International Code be to the North Carolina Code?

In 503.2.5.1, should not "CO₂" be "CO²?" Change "%" to "percent."

In Exception 1 to 503.2.6, should not the reference be to the North Carolina Code?

In 503.2.7 and 503.2.7.1, should not the reference be to the North Carolina Code?

In 503.2.7.1.1, delete or define "clearly." Should not the reference be to the North Carolina Code? There are the same issues in 503.2.7.1.2.

In 503.2.9.1, should not the references be to the North Carolina Code?

In 503.2.9.3, delete "at least." In 4, delete or define "complete."

In 503.2.10.1, Exception 1, change "and/or" to "and" or "or."

In 503.3.1, Exception 2, should not the reference be to the North Carolina Code?

In 503.4.5 and Exception 5, should not the reference be to the North Carolina Code?

In 505.2.2.2.1, delete "or" at the end of 1. In Exception 6, change "sq ft" to "square feet."

In 505.2.2.2.2, change each "s. f." to "square feet" assuming that is what you mean. End 1 through 4 with semicolons. End 5 with a semicolon and "and." End 6 with a period.

In 505.2.5.1, change a through d to 1 through 4 to be consistent with the rest of the Code. End a and b with semicolons. End c with a semicolon and "and." End d with a period.

In 505.2.5.2, begin "hotel" with an uppercase letter.

505.3, correctly format the first line.

In your Exceptions to 505.5.1, correct your word spacing in 1.3, 1.5, 8, 12 and 13. In 1.4 and 1.5, delete or define "specifically."

In 505.5.2, correct your word spacing. In 2(b), change "%" to "percent."

In 505.6.3, Exception 2, delete "but not limited to." In Exception 3, there is obviously some missing language. Insert it.

In 506.1, delete "in their entirety" as unnecessary.

Throughout 506, use numbers, not letters in your lists for consistency sake. Add punctuation to the end of items in lists.

In 506.2.2, change "%" to "percent." Do the same throughout 506.

In 506.2.5, add a colon before the list.

In 506.2.6, tell who authorizes personnel. In 2, change "should" to "shall" or delete the provision if it is not a requirement.

In 507.4.2, end 2 with a semicolon.

Please add page numbers to the code.

Please retype the rule accordingly and resubmit it to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

Of course, this will also require conforming changes to the attached copies of the rule. Please check to see that this paperwork is in order and is returned along with the revised rule.

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 2012 NC RESIDENTIAL CODE – R302.2 and R313.1

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

In R302.2 in the fourth line at the end of the line change “walls to not” to “walls do not.”

In R313.1 in the first line of the exceptions the language “rated wall in accordance with” is not the same as “rated wall assembly tested in accordance with” in the exception in R302.2 Please review and verify the language in both exceptions are acceptable or change as needed.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – ALL RULES

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Why are some of these rules, or even parts of rules or word(s) within rules, italicized and others not? Please verify that you want the italicization to appear in these rules the way it is printed on the filings. I realize that the current printed code has some parts or words in italics, and it looks and reads strange. (The italicized reference to the NCBC or IBC and any other standards would be an appropriate use of italics.)

In specific rules I shall draw attention to this by simply stating “verify italics” or something similar.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 2012 NC RESIDENTIAL CODE – R101.1 Title

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Change “herein as is this code” to “herein as ‘this code.’”

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 2012 NC RESIDENTIAL CODE – R101.2 Scope

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Verify italics.

Even if you want italics in the “exception” it is not used consistently for the same term(s).

In the last paragraph of this rule, first sentence after #3, change the semicolons in “except decks; gazebos; and retaining walls as required by Section R404.1.3” to commas and move it forward to after “Accessory structures (and no comma after “structures”). The sentence would then end with “provisions of this code.”

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 2012 NC RESIDENTIAL CODE – Chapter 2 ‘Definitions’

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

Why are some of these definitions, or even parts of definitions, italicized and others not? (See the definition of “accessory structure” for a definition with both forms.) Please verify that you want some definitions, and a word or words within definitions, italicized and others not italicized.

In the definition of “accessory structure” make the same change to “decks; gazebos; ...” as requested in R101.2.

Please verify that the second paragraph of “accessory structure,” which is the definition for an “accessory building” is supposed to be part of this definition. It is not included in the current definition.

In “accessible” please verify the italicization of certain word or words.

Is the definition of “air barrier system” intended to replace the definition of “air barrier” currently in the code? If so is the reference to “air barrier” in this rule correct or should it be “air barrier system”?

Verify italics in “air barrier system.”

In “balcony, exterior” should “in dependent” be “independent”?

In “basement wall” please verify the italicization of certain word or words.

In “bedroom” verify italics.

In “building thermal envelope” please verify the italicization of certain word or words.

In “closed crawl space” verify italics.

In “conditioned crawl space” change “and/or” to “and” or “or” and verify italics.

In “conditioned space” please verify the italicization of certain word or words.

In “dampproofing” verify italics.

In “deck” change “and/or” to “and” or “or.” In this definition should “in dependent” be “independent”?

I’m curious. Why do you have a definition for “exterior wall” that seems to be identical to the current definition?

In “family” verify italics.

In “fireplace” please verify the italicization of certain word or words.

In the definition for “fireplace – masonry chimney” should “ending at” be added before “the flue termination”?

Delete the “or” in “fire separation distance” at the end of “1. To the... line; or.” It is unnecessary.

In “hazardous location” verify italics.

In “labeled” please verify the italicization of certain word or words.

In “plans” please verify the italics.

In “registered design professional” verify italics.

In “sleeping room” verify italics.

In “story” and “story, attic” verify italics.

In “townhouse” please verify the italicization of certain word or words.

In “wall, above-grade” and “wall vented crawl space” please verify the italicization of certain word or words.

In “waterproofing,” window,” and “wind borne debris region” verify italics.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 2012 NC RESIDENTIAL CODE – R301.2.1.1 Design Criteria

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1

In this rule please verify the italicization of certain word or words.

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Table R301.2(1)

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Note b. indicates that this should be filled in by the jurisdiction, which I presume is the NC Building Code Council.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

RULE CITATION: 2012 NC RESIDENTIAL CODE – Figure R301.2(2)

The staff of the Rules Review Commission has completed its opinion review of the rule or set of rules your agency filed with us for review by the RRC at its next meeting. The Commission has not yet met and therefore there has not been a determination as to whether the rule will be approved.

In reviewing the rules, the staff determined that one or more technical changes need to be made. Approval of any rule is contingent on making this technical change as set out in G.S. 150B-21.1.

The third page of this figure has the “counties in seismic design category C” but there are no pages for those counties in categories A or B. Are there supposed to be?

Please retype or otherwise correct the rule(s) or submission form(s) as necessary and submit it along with two copies and an electronic copy to our office at 1711 New Hope Church Rd., Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J. DeLuca, Jr.
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Figure R301.2.1.5(1) (Delete)

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

This and the next three pages refer to the table of deletions immediately following the above change.

I could not find the referenced figure in the current code. Should it refer to Figure R301.2.1.5.1(1), which is referred to further down that page with the note to "delete."

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE –
R301.2.1.5 (Delete)
R301.2.1.5.1 (Delete)
Table R301.2.1.5.1 (Delete)

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

These items all appear to be repeated in the chart. Please delete one set so as not to confuse others.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R301.2.1.1.2 (delete)

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

I did not find any such item in the current code.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R301.2.2.2

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

The word “structures” has the “s” in boldface.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R301.2.4 Floodplain
Construction

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

The rule refers to “flood hazard areas as established in Table R301.2(1). Please verify this is correct. It did not seem to me there were any flood hazard areas listed. Or is this what the jurisdiction is to fill in?

In this rule please verify the italicization of the exception.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Table 301.7

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify italics and boldface.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R302.1 Exterior Walls

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R302.2.2 Parapets

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify italics in "5/8-inch" in exception.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R302.2.5 Townhouse eave protection

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In the first line "Projections" should be lowercase.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R302.2.8 Sound Transmission

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R308.4 Hazardous Locations

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

It seems to me that if you remove "arc" in item #2 from "within a 24-inch ... arc of the door" it does not read correctly. At the least it would seem to me that you would want to change "within a 24-inch (610mm) arc of" to "within 24-inches (610mm) of." Please verify.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE –
R310.1.1 Minimum Opening area
R311.1 Means of Egress

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In R310.1.1 verify italics in (0.465m²) and none in the next instance.

In R311.1 verify italics and boldface.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE –
R311.2 Egress door
R311.3.1 Floor elevations at required egress doors
R311.3.2

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify use of boldface in these rules.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R311.6.1 Hallways

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R311.7.6 Stairway walking surface

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify italics (“inch”).

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R311.7.7.2 Continuity

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R311.7.7.3 Grip-size

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In the first line of item 1 delete “outside” and change “an” to “a.”

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE –
-- R317.1 Location Required
-- R317.1.4 Wood Columns
-- R318.2 Chemical soil treatment

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE –
-- R318.4.1 Foundation Walls
-- R318.4.5.1 Inspection and Treatment Gaps

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Do you want the word "exception" to be in boldface as it is in your other rules?

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE –
-- R401.4.1 Geotechnical Evaluation
-- Table R401.4.1
-- Table R403.1

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In R401.4.1 verify italics and boldface.

In the tables verify the boldface in the body of the table.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Table R403.1a

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

The instructions say to “insert table from NC 2009 code.” Please specify which table; I didn’t see any table other than R403.1. Or should the instructions be to “insert the table into the NC 2009 code”?

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Figure R403.1(1)

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

I am not clear on whether the figure attached with the NC changes is to be substituted for the one currently in the IRC or the one in the IRC is to be used instead. There are no notes associated with the current figure.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R403.1.4 Minimum Depth

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE –

-- R403.1.5 Slope

-- R 403.1.6 Foundation Anchorage

-- R 403.1.6.1 Foundation Anchorage in Seismic Design Categories

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify italics in all three rules.

Verify boldface in R403.1.6

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Table 403.3

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Is the table that is to be deleted actually just 403.3(1) on page 79? There does not seem to be a separate Table 403.3.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE

– R404.1.5.3 Pier and Curtain Walls

-- R404.1.5.4 Piers

-- R404.4 Retaining Walls

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Verify italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE

– R405.1.1 Precast Concrete Foundation

-- R405.2.3 Drainage System

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In each case it seems to me the instructions should be to delete either "into an approved sewer system or" or "an approved sewer system or to."

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Sections R408 and R409

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Please verify the use of italics in all the new language to be added in these sections.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R502.2.1 Decks

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

It seems to me that the reference should actually be to R502.2.2

Also please verify italics at the end of the rule.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Table R502.3.3(1)

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

The type face for the note does not match the existing typeface.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Table R503.2.1.1(1)

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Correct the reference to the table in the instructions.

I don't understand the first part of the instructions. But if you are happy with them, then they are acceptable.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE

– Table R602.3(5)

-- Table R602.3.1

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

The type face for the note does not match the existing typeface.

In Table R602.3.1 it seems that ">10," which I read as "greater than 10" should be either "<10," which I read as "less than 10" or perhaps "≤," which I read as "equal to or less than 10."

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R602.6 Drilling and Notching Studs

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

I think the hyphen in "notching-studs" is weird looking.

Verify italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE

– Figure R602.6.1

-- R602.6.1 Drilling and Notching of Top Plate

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

It seems to me that the text and figure should both read "eight 10d nails" for clarity as to the requirement.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R606.1.1 Professional Registration

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Please verify that you wish to replace the contents of the current NCRC with this version. The present version sounds more like your normal way of referring to occupational licensing requirements.

If you are replacing it verify the inconsistent italics in “ACI 530/ASCE 5ITMS 402.” Also it appears that “5ITMS” should be “5/TMS” based on the current contents.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R606.1.2 Used Brick

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

*There is a misplaced boldface "U" in "**Used** materials."*

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Table R602.10.4.2

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In footnote b it seems to me that “(WSP)” should follow “wood structural panel” not precede it.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R611.1 General

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

As in an earlier instance please verify that you wish to replace the contents of the current NCRC with this version. The present version sounds more like your normal way of referring to occupational licensing requirements.

If you are going to retain this language please consider not using italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R703.7 Stone and Masonry Veneer

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

In deleting exception #2, add to the instructions that “exceptions” needs to be changed to “exception” and the number “1” needs to be deleted.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R703.7.2.2 Support of Roof Construction

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Please specify whether this is to replace or supplement the 2009 IRC or NCRC current code. If it replaces the IRC then you need to specify what is retained, replaced, or deleted. It seems to be a repetition of the 2009 NCRC.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE

– R703.7.3 Lintels

-- R703.7.5 Flashing

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Please specify whether this is to replace or supplement the 2009 IRC or NCRC current code. If it replaces the IRC then you need to specify what is retained, replaced, or deleted. It seems to be a repetition of the 2009 NCRC.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R703.7.8

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Please verify use of italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE

– R802.3.1 Ceiling Joist and Rafter Connections

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Please verify use of italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R903.3 Coping

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Please verify use of italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE

- R905.2.7.1 Ice Barrier
- R905.4.3.1 Ice Barrier
- R905.5.3.1 Ice Barrier
- R905.6.3.1 Ice Barrier
- R905.7.3.1 Ice Barrier
- R905.8.3.1 Ice Barrier

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Please specify whether this is to replace or supplement the 2009 IRC or NCRC current code. If it replaces the IRC then you need to specify what is retained, replaced, or deleted. It seems to be a repetition of the 2009 NCRC.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R1001.2 Footings and Foundations

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Please specify whether this is to replace or supplement the 2009 IRC or NCRC current code. If it replaces the IRC then you need to specify what is retained, replaced, or deleted. It seems to be a repetition of the 2009 NCRC.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Table R1001.1

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

The instructions say to "delete footnote c." There is no footnote c in the 2009 Table. If you are referring to the "c" that is added in the attached 2012 table, then simply delete that and remove any instructions concerning this table. If you intend to keep the new "c" instructional footnote, then change the instructions to the publisher.

What should be footnote "b" appears to be an "h."

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE

– Figure R1001.1 Fireplace and Chimney Details

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

If you intend to use the figure from the 2009 NCRC, why is it repeated here?

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R1003.12

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

The added and deleted language is not immediately obvious. Please show underlines and strikethroughs.

Please correct font and boldface in second paragraph.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R1005.1

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Please verify use of italics.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE

– Beginning Instructions

-- Instructions for Chapters 44 - 46

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

I did not see any changes in the very first pages for the Insurance Commissioner's office or the various committees. Are these to be included also or will you take care of them later?

The instructions on the first page attached to the Submission for Filing form (with the Residential Ad Hoc Committee Acknowledgements) provide for changes on pages ix and xx, presumably of the current 2009 NCRC. However the changes for page ix do not match the current page ix and there is no current page xx.

It is not clear whether in that first set of instructions concerning Chapters 45 and 46 on page ix are words that are supposed to be added on those pages rather than the table of contents for those chapters currently in place.

The sample ordinance is found on page vii, not xiii, in my copy of the 2009 NCRC.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R4501.2

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

It seems to me that the changes in this rule should come before the changes to R4505.1 in your chart of instructions.

Please indicate deletions and additions so there is no question of what is to be in the current rule.

Please verify use of italics, especially in the parenthetical part indicating meters per second.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R4603.7

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Should you not update Chapter 44 to show the use of this standard in this rule?

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Appendix M

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Change boldface to normal font in body of rule at AM104.1.1

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Appendix N

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Change boldface to normal font in body of rule.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – R202 Definitions

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

All these definitions including the “modified or updated definitions” are already included or scheduled for inclusion in the 2012 NCRC Chapter 2 definitions. What is the purpose of listing them here?

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Chapter 11

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Please provide some instruction as to what to do with this. It appears the intent is to replace the entire 2009 NCRC Chapter 11 with this version.

It is not clear why some terms are italicized and others are not. At first I thought defined terms might be italicized, but there are defined terms that are not italicized (I don't know if there are any undefined terms that are italicized.). Unless there is some consistent good reason for italicizing some of these words, but not others, please remove all italicizing throughout this chapter except for titles, books, codes or similar items.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – N1101.9 Certificate

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Change “and/or” to “and” or “or,” probably “and.”

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel

REQUEST FOR TECHNICAL CHANGE

AGENCY: N.C. BUILDING CODE COUNCIL

RULE CITATION: 2012 N.C. RESIDENTIAL CODE – Part IX Referenced Standards (Chapter 43)

DEADLINE FOR RECEIPT: TUESDAY, FEBRUARY 15, 2011

The Rules Review Commission staff has completed its review of this rule prior to the Commission's next meeting. The Commission has not yet reviewed this rule and therefore there has not been a determination as to whether the rule will be approved. You may call this office to inquire concerning the staff recommendation.

In reviewing these rules, the staff determined that the following technical changes need to be made:

Why are there two chapters, 43 and 44 that have the "referenced standards"? All the agencies or associations in chapter 43 that have standards are found in chapter 44 as well, with the exception of DOE. It seems to me they should all be in one chapter.

Please retype or otherwise correct the rule(s) or submission forms as necessary and resubmit it to our office along with two copies and an electronic copy to our office at 1711 New Hope Church Road, Raleigh, North Carolina 27609.

If you have any questions or problems concerning this request, please contact me.

Joseph J DeLuca
Commission Counsel